



Sydkystens Kranservice ApS



Indholdsfortegnelse Table of Contents

TBM Håndkæde- & Skraldekædetaljer – TBM Hand- & Lever Chain Hoists	2
Surringer, Surringstrammere og træktajer – Ratchet Tie Downs, Load Binders & Pulling Hoist	3
Båndstropper & Rundslings – Webbing Slings & Round Slings	4
Kæder – Chains	5-7
Spændebånd, Øreklemmer & Power Clamps – Hose Clips, Ear Clips & Power Clamps	8-18
Rørklemmer, U-bøjler & Gummiklemmer – Pipe Clamps, U-Bolts & Rubber Clamps	19-21
Stålwirer og sikkerhedswire – Steel Wire Ropes & Safty Wire	22-26
Sjækler – Shackles	27-31
Bardunstrammere, Vantskruer & Wirestrammere – Turnbuckles, Rigging Screws & Wire Stretchers	32-35
Wirelåse – Wire Rope Clips	36-39
Karabinhager – Snap Hooks	40-42
P-led og Nødled – Quick Links & Repair Links	43
Kovser – Thimbles	44
S-kroge & Sortimentter – S-Hooks & Assortments	45-46
Taljeblokke m/nylonhjul – Pulley Blocks w/Nylon Wheel	47
Fjedersplitter, Ringsplitter, Rørsplitter og Sikkerhedssplitter – Spring Pins, Linch Pins, Pipe Pins & Safety Pins	48-49
Øjebolte & Øjemøtrikker – Eye Bolts & Eye Nuts	50-51
Terminaler, Svirvler & Fokkehager – Terminals, Swivels & Snap Shackles	52-54
Radaflex Twin & Radaflex svejse/ladekabel – Radaflex Twin & Radaflex Cable	55
High-Flex svejse/ladekabel & Lade klemmer – High-Flex Booster/Welding Cable & Clamps	56
Autoledninger – Automotive Cables	57-58
Harmoniserede kabler & ledninger – Harmonised Cables & Wires	59-60
Kobber & Kobbernikkellrør – Copper & Cupronickel Tubes	61
Værktøjer - Tools	62
O-Ringe & Låse ringe – Rings & Lock Rings	63

WLL og mål skal forstås som vejledende
WLL and measurements without commitment

TÜV-godkendt TBM Skraldekædetalje

TÜV Approved TBM Lever Chain Hoist

Varenr./Article No.	Farve Colour	Kæde diam. Chain Diam	Løftelængde/ Hoist Length	Kg./Stk./ Pc.	Test Load	SWL
STALJE250/3	Grå/Grey	4mm	3mtr.	7.5kg.	375kg.	250kg.
STALJE500/3	Grå/Grey	5mm	3mtr.	8.5kg.	750kg.	500kg.
STALJE500/6	Grå/Grey	6mm	6mtr.	12kg.	750kg.	500kg.
STALJE500/10	Grå/Grey	6mm	10mtr.	18kg.	750kg.	500kg.
STALJE750/3	Grå/Grey	6mm	3mtr.	9.1kg.	1100kg.	750kg.
STALJE750/6	Grå/Grey	6mm	6mtr.	15kg.	1100kg.	750kg.
STALJE750/10	Grå/Grey	6mm	10mtr.	23kg.	1100kg.	750kg.
STALJE1500/3	Grå/Grey	8mm	3mtr.	13.6kg.	2250kg.	1500kg.
STALJE1500/6	Grå/Grey	8mm	6mtr.	18kg.	2250kg.	1500kg.
STALJE1500/10	Grå/Grey	8mm	10mtr.	25kg.	2250kg.	1500kg.
STALJE3000/3	Grå/Grey	10mm	3mtr.	35kg.	4000kg.	3000kg.



TÜV-godkendt TBM Håndkædetalje

TÜV Approved TBM Hand Chain Hoist

Varenr./Article No.	Farve Colour	Kæde diam. Chain Diam	Løftelængde/ Hoist Length	Kg./Stk./ Pc.	Test Load	SWL
HTALJE500/3	Grå/Grey	6mm	3mtr.	12kg.	630kg.	500kg.
HTALJE500/6	Grå/Grey	6mm	6mtr.	20kg.	630kg.	500kg.
HTALJE500/10	Grå/Grey	6mm	10mtr.	30kg.	630kg.	500kg.
HTALJE1000/3	Grå/Grey	6mm	3mtr.	14kg.	1250kg.	1000kg.
HTALJE1000/6	Grå/Grey	6mm	6mtr.	25kg.	1250kg.	1000kg.
HTALJE1000/10	Grå/Grey	6mm	10mtr.	35kg.	1250kg.	1000kg.
HTALJE2000/3	Grå/Grey	8mm	3mtr.	22kg.	2500kg.	2000kg.
HTALJE3000/3	Grå/Grey	8mm	3mtr.	40kg.	4000kg.	3000kg.
HTALJE10000/3**	Grå/Grey	10mm	3mtr.	97kg.	12500kg.	10000kg.
HTALJE10000/4**	Grå/Grey	10mm	4mtr.	100kg.	12500kg.	10000kg.
HTALJE20000/3**	Grå/Grey	10mm	3mtr.	193kg.	25000kg.	20000kg.

***Skaffevare – On request





Surring m/skralde og dobbelte J-Kroge, Kamurringer & Hjulsurringer

Ratchet Tie Downs w/double J-Hooks, Ratchet Straps & Wheel Lashing

Varenr./Article No.	Farve Colour	Båndbred. Web Width	Konstruktion Construction	Længde Length	Kg./Stk./Pc.	Surring Capacity
SUR25/500/04/46	Blå/Blue	25mm	0.4/4.6mtr.	5.0mtr.	0,388	500kg.
SUR25/500/65	Blå/Blue	25mm	Endeløs Endless	6.50mtr	0,328	500kg.
SUR35/2500/05/55	Orange	35mm	0.5/5.5mtr.	6.0mtr.	1,095	2.500kg.
SUR35/2500/650	Orange	35mm	Endeløs Endless	6.50mtr	0,725	2.500kg.
SUR50/4000/05/95	Orange	50mm	0.5/9.5mtr.	10.0mtr	2,552	4.000kg.
SUR50/5000/05/95	Orange	50mm	0.5/9.5mtr.	10.0mtr	2,600	5.000kg.
KAMSUR25/10	Blå/Blue	25mm	10mtr.	10mtr.	2,000	500kg
HJULSTOP	Orange	50mm	0.5+0.5+2.0mtr.	-	1.000	4.000kg.

Kamsurrings sortiment m/40 stk. – 5 ass. farver

Cam Buckle Assortment w/40 pcs. – 5 different Colours

Varenr./Article No.	Farve Colour	Båndbred. Web Width	Længde Length	Kg./Stk./Pc.	Surring Capacity
KAMSURSORT/40	5 ass.	25mm	1.5-3.5mtr	0,388	500kg.



Rødmalet Load Binder m/Skralde & sikkerhedspale

Red painted Load Binder – Ratchet Type w/Safety Latches

Varenr./Article No.	Min./Max mm	Til kæde For Chain	For Chain	Kg./Stk./ Pc.	WLL
LOADRAT10	400-600	10mm	10mm	3.350kg.	2450kg.
LOADRAT13	400-600	13mm	13mm	5.750kg.	4170kg.



”Træktalje”

Pulling Hoist




Varenr./Article No.	Diam. Stålwire Diam. Steel Wire Rope	Konstruktion/ Construction	Længde Length	Kg./Stk./ Pc.	WLL
TRÆK800	8mm	6x19	20m	6kg.	800kg.
TRÆK1600	11mm	6x19	20m	11kg.	1600kg.

Polyester Rundsling og Båndstropper Sikkerhedsfaktor 7:1

Polyester Round Sling & Webbing Slings Safety Factor 7:1

Varenr./Article No.	Farve Colour	Længde/Omkreds Length/Circle	Kg./Stk./ Pc	SWL
RUND05/1000	Violet	0.50mtr./1.00mtr.	0.200	1000kg.
RUND10/1000	Violet	1.00mtr./2.00mtr.	0.400	1000kg.
RUND15/1000	Violet	1.50mtr./3.00mtr.	0.600	1000kg.
RUND20/1000	Violet	2.00mtr./4.00mtr.	0.800	1000kg.
RUND25/1000	Violet	2.50mtr./5.00mtr.	1.000	1000kg.
RUND30/1000	Violet	3.00mtr./6.00mtr.	1.200	1000kg.
RUND05/2000	Grøn/Green	0.50mtr./1.00mtr.	0.250	2000kg
RUND10/2000	Grøn/Green	1.00mtr./2.00mtr.	0.500	2000kg
RUND15/2000	Grøn/Green	1.50mtr./3.00mtr.	0.750	2000kg
RUND20/2000	Grøn/Green	2.00mtr./4.00mtr.	1.000	2000kg
RUND25/2000	Grøn/Green	2.50mtr./5.00mtr.	1.250	2000kg
RUND30/2000	Grøn/Green	3.00mtr./6.00mtr.	1.500	2000kg
RUND40/2000	Grøn/Green	4.00mtr./8.00mtr.	2.000	2000kg
RUND10/3000	Gul/Yellow	1.00mtr./2.00mtr.	0.700	3000kg
RUND15/3000	Gul/Yellow	1.50mtr./3.00mtr.	1.050	3000kg
RUND20/3000	Gul/Yellow	2.00mtr./4.00mtr.	1.400	3000kg
RUND25/3000	Gul/Yellow	2.50mtr./5.00mtr.	1.750	3000kg
RUND30/3000	Gul/Yellow	3.00mtr./6.00mtr.	2.100	3000kg
RUND40/3000	Gul/Yellow	4.00mtr./8.00mtr.	2.800	3000kg
RUND10/5000	Rød/Red	1.00mtr./2.00mtr.	1.200	5000kg.
RUND15/5000	Rød/Red	1.50mtr./3.00mtr.	1.800	5000kg.
RUND20/5000	Rød/Red	2.00mtr./4.00mtr.	2.400	5000kg.
RUND25/5000	Rød/Red	2.50mtr./5.00mtr.	3.000	5000kg.
RUND30/5000	Rød/Red	3.00mtr./6.00mtr.	3.600	5000kg.
RUND40/5000	Rød/Red	4.00mtr./8.00mtr.	4.800	5000kg.
BÅND10/1000	Violet	1.00mtr.	0.226kg.	1000kg.
BÅND15/1000	Violet	1.50mtr.	0.339kg.	1000kg.
BÅND20/1000	Violet	2.00mtr.	0.400kg.	1000kg.
BÅND30/1000	Violet	3.00mtr.	0.600kg.	1000kg.
BÅND40/1000	Violet	4.00mtr.	0.850kg.	1000kg.
BÅND10/2000	Grøn – Green	1.00mtr.	0.335kg.	2000kg.
BÅND15/2000	Grøn – Green	1.50mtr.	0.423kg.	2000kg.
BÅND20/2000	Grøn – Green	2.00mtr.	0.511kg.	2000kg.
BÅND30/2000	Grøn – Green	3.00mtr.	0.767kg.	2000kg.
BÅND40/2000	Grøn – Green	4.00mtr.	0.900kg.	2000kg.
BÅND60/2000	Grøn – Green	6.00mtr.	1.924kg.	2000kg.
BÅND10/3000	Gul – Yellow	1.00mtr.	0.375kg.	3000kg.
BÅND20/3000	Gul – Yellow	2.00mtr.	0.759kg.	3000kg.
BÅND30/3000	Gul – Yellow	3.00mtr.	1.139kg.	3000kg.
BÅND40/3000	Gul – Yellow	4.00mtr.	1.245kg.	3000kg.
BÅND60/3000	Gul – Yellow	6.00mtr.	2.100kg.	3000kg.
BÅND30/4000	Grå – Grey	3.00mtr.	1.460kg.	4000kg.
BÅND40/4000	Grå – Grey	4.00mtr.	1.950kg.	4000kg.
BÅND30/5000	Rød – Red	3.00mtr.	1.650kg.	5000kg.
BÅND40/5000	Rød – Red	4.00mtr.	2.950kg.	5000kg.
BÅND30/6000	Brun – Brown	3.00mtr.	2.010kg.	6000kg.
BÅND40/6000	Brun – Brown	4.00mtr.	3.075kg.	6000kg.



UV-bestandig kæde i Polyetylen – Rød/hvid & Gul/sort

UV Resistant Chain in Polyetylen – Red/White & Yellow/black



Varenr./Article No.	Dim.	Farve Colour	A- Dim.	B- Dim.	d- Dim.	Længde Length	Kg./M.
PKLA6RH	6mm	Rød/hvid Red/white	41mm	21mm	6mm	25mtr.	0.0533
PKLA8RH	8mm	Rød/hvid Red/white	54mm	27mm	8mm	25mtr.	0.0709
PKLA6GS	6mm	Gul/sort Yel./Black	41mm	21mm	6mm	25mtr.	0.0533



Blank Kæde, DIN 763, Langeddet

Self Colour Chain, DIN 763, Long Link

Varenr./Article No.	Dim.	A- Dim.	B- Dim.	d- Dim.	Længde Length	Kg./Stk./Pc.	WLL
BKLA30	3.0mm	26mm	12mm	3.0mm	30mtr.	0,100	110kg.
BKLA40	4.0mm	32mm	16mm	4.0mm	30mtr.	0,270	200kg.
BKLA60	6.0mm	42mm	24mm	6.0mm	30mtr.	0,630	400kg.
BKLA80	8.0mm	52mm	32mm	8.0mm	50mtr.	1,100	800kg.




Klasse 8 LøfteKæde – Chromatiseret eller sortmalet

Grade 80 Lifting Chain – Chromated or black painted


Varenr./Article No.	Dim.	A- Dim.	B- Dim.	d- Dim.	Længde Length	Kg./M.	SWL
K8KÆDE7MM	7mm	22mm	24mm	7mm	50mtr.	1.125	1500kg.
K8KÆDE8MM	8mm	26mm	28mm	8mm	50mtr.	1.650	2050kg.
K8KÆDE10MM	10mm	31mm	34mm	10mm	50mtr.	2.415	3150kg.
K8KÆDE13MM	13mm	40mm	46mm	13mm	50mtr.	4.225	5400kg.
K8KÆDE16MM	16mm	48mm	57mm	16mm	50mtr.	5.600	8200kg.






Varmgalv. Kæde, DIN 763, Langeddet
Hot Dip Galv. Chain, DIN 763, Long Link

Varenr./Article No.	Dim.	A- Dim.	B- Dim.	d- Dim.	Længde Length	Kg./Stk./Pc.	WLL
GKLA3	3mm	26mm	12mm	3mm	50mtr.	0,100	110kg.
GKLA4	4mm	32mm	16mm	4mm	50mtr.	0,270	200kg.
GKLA5	5mm	35mm	20mm	5mm	50mtr.	0,430	320kg.
GKLA6	6mm	42mm	24mm	6mm	50mtr.	0,630	400kg.
GKLA8	8mm	52mm	32mm	8mm	50mtr.	1,100	800kg.
GKLA10	10mm	65mm	40mm	10mm	50mtr.	1,750	1260kg.
GKLA13	13mm	82mm	52mm	13mm	50mtr.	2,950	2000kg.
GKLA16	16mm	100mm	64mm	16mm	50mtr.	4,450	3200kg.




Varmgalv. Kæde, DIN 766, kortleddet
Hot Dip Galv. Chain, DIN 766, Short Link

Varenr./Article No.	Dim.	A- Dim.	B- Dim.	d- Dim.	Længde Length	Kg./Stk./Pc.	WLL
GKK3	3mm	16mm	11.0mm	3mm	50mtr.	0,170	140kg.
GKK4	4mm	16mm	13.7mm	4mm	50mtr.	0,320	300kg.
GKK5	5mm	18.5mm	17.0mm	5mm	50mtr.	0,500	500kg.
GKK6	6mm	18.5mm	20.2mm	6mm	50mtr.	0,750	700kg.
GKK8	8mm	24mm	27.2mm	8mm	50mtr.	1,350	1260kg.
GKK10	10mm	28mm	34.0mm	10mm	50mtr.	2,250	2000kg.
GKK13	13mm	36mm	44.2mm	13mm	50mtr.	3,800	3200kg.
GKK16	16mm	45mm	54.4mm	16mm	50mtr.	5,200	4000kg.



Syrefast, AISI 316 Kæde, DIN 763, Langeddet
S.S., AISI 316 Chain, DIN 763, Long Link

Varenr./Article No.	Dim.	A- Dim.	B- Dim.	d- Dim.	Længde Length	Kg./Stk./Pc.	WLL
RKL2	2mm	22mm	8mm	2mm	50m.	0,050	40kg.
RKL3	3mm	26mm	12mm	3mm	50m.	0,100	150kg.
RKL4	4mm	32mm	16mm	4mm	50m.	0,270	240kg.
RKL5	5mm	35mm	20mm	5mm	50m.	0,430	400kg.
RKL6	6mm	42mm	24mm	6mm	50m.	0,630	600kg.
RKL8	8mm	52mm	32mm	8mm	50m.	1,100	800kg.
RKL10	10mm	65mm	40mm	10mm	50m.	1,750	1400kg.
RKL13	13mm	82mm	52mm	13mm	50m.	2,950	1800kg.



Syrefast, AISI 316 Kæde, DIN 766, Kortleddet
S.S., AISI 316 Chain, DIN 766, Short Link

Varenr./Article No.	Dim.	A- Dim.	B- Dim.	d- Dim.	Længde Length	Kg./Stk./Pc.	WLL
RKK2	2mm	12mm	8.0mm	2mm	50m.	0,060	40kg.
RKK3	3mm	16mm	11.0mm	3mm	50m.	0,170	150kg.
RKK4	4mm	16mm	13.7mm	4mm	50m.	0,320	250kg.
RKK5	5mm	18.5mm	17.0mm	5mm	50m.	0,500	350kg.
RKK6	6mm	18.5mm	20.2mm	6mm	50m.	0,750	630kg.
RKK8	8mm	24mm	27.2mm	8mm	50m.	1,350	1000kg.
RKK10	10mm	28mm	34.0mm	10mm	50m.	2,250	1600kg.
RKK13	13mm	36mm	44.2mm	13mm	50m.	3,800	2000kg.

”ABA” Sortimenter ”ABA” Assortments



”ABA” Sortiment nr. 244 (244 ass., galv. spændebånd)
”ABA” Assortment no. 244 (244 ass., galv. hose clips)
 Varenr./Article No.: GABA244




”ABA” Sortiment nr. 270 (270 ass., galv. spændebånd)
”ABA” Assortment no. 270 (270 ass., galv. hose clips)
 Varenr./Article No.: GABA270=GALV.
 RABA270=RUSTFRI/AISI304



“ABA” Banding System
 I.h.t. forespørgsel/On request



“ABA” Sortiment nr. 120 (120 ass., galv. MINI spændebånd)
“ABA” Assortment no. 120 (120 ass., galv. MINI hose Clips)
 Varenr./Article No.: GABA120




Syrefast, AISI 316 "ABA" Spændebånd
S.S., AISI 316 "ABA" Hose Clip

Varenr./Article No.	Dim.	Min.	Max.	Bånd bredde	Band Width	Kg./Stk./ Pc.	Nm	Forpakning Packing
SABA14	8-14mm	8mm	15mm	9mm	9mm	0.0127	2.5-3.5	50stk./Pcs.
SABA17	11-17mm	11mm	17mm	9mm	9mm	0.0136	2.5-3.5	50stk./Pcs.
SABA20	13-20mm	13mm	22mm	9mm	9mm	0.0154	2.5-3.5	50stk./Pcs.
SABA24	15-24mm	15mm	24mm	12mm	12mm	0.0185	2.5-3.5	50stk./Pcs.
SABA28	19-28mm	19mm	28mm	12mm	12mm	0.0204	2.5-3.5	50stk./Pcs.
SABA32	22-32mm	22mm	32mm	12mm	12mm	0.0226	2.5-3.5	50stk./Pcs.
SABA38	26-38mm	26mm	38mm	12mm	12mm	0.0239	3.5-4.5	50stk./Pcs.
SABA44	32-44mm	32mm	44mm	12mm	12mm	0.0283	3.5-4.5	50stk./Pcs.
SABA50	38-50mm	38mm	50mm	12mm	12mm	0.0298	3.5-4.5	50stk./Pcs.
SABA56	44-56mm	44mm	56mm	12mm	12mm	0.0314	5-6	50stk./Pcs.
SABA65	50-65mm	50mm	65mm	12mm	12mm	0.0354	5-6	50stk./Pcs.
SABA75	58-75mm	58mm	75mm	12mm	12mm	0.0379	5-6	50stk./Pcs.
SABA85	68-85mm	68mm	85mm	12mm	12mm	0.0400	5-6	50stk./Pcs.
SABA95	77-95mm	77mm	95mm	12mm	12mm	0.0425	5-6	50stk./Pcs.
SABA112	87-112mm	87mm	112mm	12mm	12mm	0.0456	5-6	50stk./Pcs.
SABA138	104-138mm	104mm	138mm	12mm	12mm	0.0519	5-6	50stk./Pcs.
SABA165	130-165mm	130mm	165mm	12mm	12mm	0.0579	5-6	50stk./Pcs.
SABA180	150-180mm	150mm	180mm	12mm	12mm	0.0616	5-6	50stk./Pcs.
SABA205	175-205mm	175mm	205mm	12mm	12mm	0.0688	5-6	50stk./Pcs.
SABA231	200-231mm	200mm	231mm	12mm	12mm	0.0750	5-6	50stk./Pcs.
SABA256	226-256mm	226mm	256mm	12mm	12mm	0.0829	5-6	50stk./Pcs.
SABA282	251-282mm	251mm	282mm	12mm	12mm	0.0876	5-6	50stk./Pcs.
SABA307	277-307mm	277mm	307mm	12mm	12mm	0.0931	5-6	50stk./Pcs.




"ABA" Flex Skruetrækker, 250mm
"ABA" Flex Screw Driver, 250mm
 Varenr./Article No.: GABA25



Galv. Øreklemme m/2 ører – Cr6-fri
Galv. Ear Clip w/2 Ears – Cr6 Free



Varenr./Article No.	D- Dim.	Min.	Max.	b- Dim.	S- Dim.
ØRE0507	5-7mm	5mm	5-7mm	6.0mm	0.6mm
ØRE0709	7-9mm	7mm	7-9mm	6.0mm	0.8mm
ØRE0911	9-11mm	9mm	11mm	6.5mm	0.8mm
ØRE1113	11-13mm	11mm	13mm	6.5mm	0.9mm
ØRE1315	13-15mm	13mm	15mm	7.0mm	1.0mm
ØRE1417	14-17mm	14mm	17mm	7.0mm	1.2mm
ØRE1518	15-18mm	15mm	18mm	7.5mm	1.2mm
ØRE1720	17-20mm	17mm	20mm	7.5mm	1.2mm
ØRE1821	18-21mm	18mm	21mm	8.0mm	1.2mm
ØRE2023	20-23mm	20mm	23mm	8.0mm	1.3mm
ØRE2225	22-25mm	22mm	25mm	8.5mm	1.4mm
ØRE2327	23-27mm	23mm	27mm	8.5mm	1.4mm
ØRE2528	25-28mm	25mm	28mm	9.0mm	1.4mm
ØRE2831	28-31mm	28mm	31mm	9.0mm	1.4mm
ØRE3134	31-34mm	31mm	34mm	9.0mm	1.4mm
ØRE3437	34-37mm	34mm	37mm	9.0mm	1.4mm



Galv. Øreklemme m/1 øre – Cr6-Fri
Galv. Ear Clip w/1 Ear Cr6 Free




Varenr./Article No.	D- Dim.	Min.	Max.	Kg./Stk./Pc.
ØRE0911/1	9-11mm	9mm	11mm	0.010
ØRE1012/1	10-12mm	10mm	12mm	0.011
ØRE1113/1	11-13mm	11mm	13mm	0.012
ØRE1214/1	12-14mm	12mm	14mm	0.012
ØRE1416/1	14-16mm	14mm	16mm	0.020
ØRE1618/1	16-18mm	16mm	18mm	0.022

Galv. Øreklemme m/1 øre+Rustfri inderring – Cr6-fri
Galv. Ear Clip w/1 Ear+S.S. Ring – Cr6 Free



Varenr./Article No.	D- Dim.	Min.	Max.	Kg./Stk./Pc.
ØRE7590RING	7.5-9.5mm	7.5mm	9.5mm	0.010
ØRE95115RING	9.5-11.5mm	9.5mm	11.5mm	0.012
ØRE114134RING	11.4-13.4mm	11.4mm	13.4mm	0.015





Rustfri, AISI 304 Øreklemme m/2 ører & 1 øre

S.S., AISI 304 Ear Clip w/2 Ears & 1 Ear



Varenr./Article No.	D- Dim.	Min.	Max.	b- Dim.	Kg./Stk./Pc.
RØRE0507	5-7mm	5mm	7mm	6.0mm	0.005
RØRE0709	7-9mm	7mm	9mm	6.0mm	0.007
RØRE0911	9-11mm	9mm	11mm	6.5mm	0.010
RØRE1315	13-15mm	13mm	15mm	7.0mm	0.015
RØRE1417	14-17mm	14mm	17mm	7.0mm	0.020
RØRE1518	15-18mm	15mm	18mm	7.5mm	0.022
RØRE1720	17-20mm	17mm	20mm	7.5mm	0.026
RØRE2023	20-23mm	20mm	23mm	7.5mm	0.030
RØRE2225	22-25mm	22mm	25mm	7.5mm	0.035
RØRE0911/1 – 1 øre	9-11mm	9mm	11mm	6.5mm	0.010
RØRE1113 – 1 øre	11-13mm	11mm	13mm	6.5mm	0.012



Øreklemmetang

Pressing Tool for Ear Clips

Varenr./Article No.: ØRETANG

Galv. "Power Clamp" m/1 Bolt DIN 912, Bolt M6x45mm, 20mm båndbredde

Galv. "Power Clamp" w/1 Bolt DIN 912, Bolt M6x45mm, 20mm band Width

Øvrige størrelser iht. forespørgsel – other sizes on Request

Varenr./Article No.	Min. Dim.	Max. Dim.	Bånd bredde	Band Width	Kg./stk./Pc.
GCLAMP20-1-1-35	30mm	35mm	20mm	20mm	0.079
GCLAMP20-1-1-40	34mm	40mm	20mm	20mm	0.084
GCLAMP20-1-1-45	39mm	45mm	20mm	20mm	0.090
GCLAMP20-1-1-50	44mm	50mm	20mm	20mm	0.096
GCLAMP20-1-1-55	49mm	55mm	20mm	20mm	0.100
GCLAMP20-1-1-60	54mm	60mm	20mm	20mm	0.107
GCLAMP20-1-1-65	59mm	65mm	20mm	20mm	0.118
GCLAMP20-1-1-70	64mm	70mm	20mm	20mm	0.119
GCLAMP20-1-1-75	69mm	75mm	20mm	20mm	0.123
GCLAMP20-1-1-80	74mm	80mm	20mm	20mm	0.128
GCLAMP20-1-1-85	79mm	85mm	20mm	20mm	0.135
GCLAMP20-1-1-90	84mm	90mm	20mm	20mm	0.139
GCLAMP20-1-1-95	89mm	95mm	20mm	20mm	0.144
GCLAMP20-1-1-100	94mm	100mm	20mm	20mm	0.153
GCLAMP20-1-1-105	99mm	105mm	20mm	20mm	0.155
GCLAMP20-1-1-110	104mm	110mm	20mm	20mm	0.163
GCLAMP20-1-1-115	109mm	115mm	20mm	20mm	0.166



Galv. "Power Clamp" m/2 Bolte DIN 912, Bolt M6x45mm, 20mm båndbredde

Galv. "Power Clamp" w/2 Bolts DIN 912, Bolt M6x45mm, 20mm Band Width

Varenr./Article No.	Min. Dim.	Max. Dim.	Bånd bredde	Band Width	Kg./stk./Pc.
GCLAMP20-1-2-40	30mm	40mm	20mm	20mm	0.129
GCLAMP20-1-2-45	35mm	45mm	20mm	20mm	0.132
GCLAMP20-1-2-50	40mm	50mm	20mm	20mm	0.135
GCLAMP20-1-2-55	45mm	55mm	20mm	20mm	0.143
GCLAMP20-1-2-60	50mm	60mm	20mm	20mm	0.148
GCLAMP20-1-2-65	55mm	65mm	20mm	20mm	0.156
GCLAMP20-1-2-70	60mm	70mm	20mm	20mm	0.160
GCLAMP20-1-2-75	65mm	75mm	20mm	20mm	0.163
GCLAMP20-1-2-80	70mm	80mm	20mm	20mm	0.170
GCLAMP20-1-2-85	75mm	85mm	20mm	20mm	0.175
GCLAMP20-1-2-90	80mm	90mm	20mm	20mm	0.182
GCLAMP20-1-2-95	85mm	95mm	20mm	20mm	0.186
GCLAMP20-1-2-100	90mm	100mm	20mm	20mm	0.192
GCLAMP20-1-2-105	95mm	105mm	20mm	20mm	0.218
GCLAMP20-1-2-110	100mm	110mm	20mm	20mm	0.203
GCLAMP20-1-2-115	105mm	115mm	20mm	20mm	0.213
GCLAMP20-1-2-120	110mm	120mm	20mm	20mm	0.217

Galv. "Power Clamp" m/2 Bolte DIN 912, Bolt M6x45mm, 20mm båndbredde

Galv. "Power Clamp" w/2 Bolts DIN 912, Bolt M6x45mm, 20mm Band Width

Varenr./Article No.	Min. Dim.	Max. Dim.	Bånd bredde	Band Width	Kg./stk./Pc.
GCLAMP20-1-2-125	115mm	125mm	20mm	20mm	0.223
GCLAMP20-1-2-130	120mm	130mm	20mm	20mm	0.227
GCLAMP20-1-2-135	125mm	135mm	20mm	20mm	0.230
GCLAMP20-1-2-140	130mm	140mm	20mm	20mm	0.236
GCLAMP20-1-2-145	135mm	145mm	20mm	20mm	0.244
GCLAMP20-1-2-150	140mm	150mm	20mm	20mm	0.250
GCLAMP20-1-2-155	145mm	155mm	20mm	20mm	0.255
GCLAMP20-1-2-160	150mm	160mm	20mm	20mm	0.260
GCLAMP20-1-2-165	155mm	165mm	20mm	20mm	0.305
GCLAMP20-1-2-170	160mm	170mm	20mm	20mm	0.270
GCLAMP20-1-2-175	165mm	175mm	20mm	20mm	0.280
GCLAMP20-1-2-180	170mm	180mm	20mm	20mm	0.294
GCLAMP20-1-2-190	180mm	190mm	20mm	20mm	0.320



Galv. "Power Clamp" m/2 Bolte DIN 912, Bolt M8x80mm, 25mm båndbredde

Galv. "Power Clamp" w/2 Bolts DIN 912, Bolt M8x80mm, 25mm Band Width

Varenr./Article No.	Min. Dim.	Max. Dim.	Bånd bredde	Band Width	Kg./stk./Pc.
GCLAMP25-1-2-70	60mm	70mm	25mm	25mm	0.292
GCLAMP25-1-2-75	65mm	75mm	25mm	25mm	0.316
GCLAMP25-1-2-80	70mm	80mm	25mm	25mm	0.306
GCLAMP25-1-2-85	75mm	85mm	25mm	25mm	0.309
GCLAMP25-1-2-90	80mm	90mm	25mm	25mm	0.317
GCLAMP25-1-2-95	85mm	95mm	25mm	25mm	0.327
GCLAMP25-1-2-100	90mm	100mm	25mm	25mm	0.334
GCLAMP25-1-2-105	95mm	105mm	25mm	25mm	0.340
GCLAMP25-1-2-110	100mm	110mm	25mm	25mm	0.350
GCLAMP25-1-2-115	105mm	115mm	25mm	25mm	0.360
GCLAMP25-1-2-120	110mm	120mm	25mm	25mm	0.362
GCLAMP25-1-2-125	115mm	125mm	25mm	25mm	0.380
GCLAMP25-1-2-130	120mm	130mm	25mm	25mm	0.385
GCLAMP25-1-2-135	125mm	135mm	25mm	25mm	0.395
GCLAMP25-1-2-140	130mm	140mm	25mm	25mm	0.395
GCLAMP25-1-2-145	135mm	145mm	25mm	25mm	0.412
GCLAMP25-1-2-150	140mm	150mm	25mm	25mm	0.418



Galv. "Power Clamp" m/2 Bolte DIN 912, Bolt M8x80mm, 25mm båndbredde

Galv. "Power Clamp" w/2 Bolts DIN 912, Bolt M8x80mm, 25mm Band Width

Varenr./Article No.	Min. Dim.	Max. Dim.	Bånd bredde	Band Width	Kg./stk./Pc.
GCLAMP25-1-2-155	145mm	155mm	25mm	25mm	0.425
GCLAMP25-1-2-160	150mm	165mm	25mm	25mm	0.445
GCLAMP25-1-2-165	155mm	170mm	25mm	25mm	0.475
GCLAMP25-1-2-170	160mm	175mm	25mm	25mm	0.483
GCLAMP25-1-2-175	165mm	180mm	25mm	25mm	0.485
GCLAMP25-1-2-180	170mm	185mm	25mm	25mm	0.487
GCLAMP25-1-2-190	180mm	195mm	25mm	25mm	0.512
GCLAMP25-1-2-200	190mm	205mm	25mm	25mm	0.541
GCLAMP25-1-2-210	200mm	215mm	25mm	25mm	0.550
GCLAMP25-1-2-220	210mm	225mm	25mm	25mm	0.550
GCLAMP25-1-2-230	220mm	235mm	25mm	25mm	0.566
GCLAMP25-1-2-240	230mm	245mm	25mm	25mm	0.562
GCLAMP25-1-2-250	240mm	255mm	25mm	25mm	0.600
GCLAMP25-1-2-260	250mm	265mm	25mm	25mm	0.600
GCLAMP25-1-2-270	260mm	275mm	25mm	25mm	0.600
GCLAMP25-1-2-280	270mm	285mm	25mm	25mm	0.600
GCLAMP25-1-2-290	280mm	295mm	25mm	25mm	0.625
GCLAMP25-1-2-300	290mm	305mm	25mm	25mm	0.638
GCLAMP25-1-2-310	300mm	315mm	25mm	25mm	0.650
GCLAMP25-1-2-320	310mm	325mm	25mm	25mm	0.675
GCLAMP25-1-2-330	320mm	335mm	25mm	25mm	0.675
GCLAMP25-1-2-340	330mm	345mm	25mm	25mm	0.688
GCLAMP25-1-2-350	340mm	355mm	25mm	25mm	0.700
GCLAMP25-1-2-360	350mm	365mm	25mm	25mm	0.713
GCLAMP25-1-2-370	360mm	375mm	25mm	25mm	0.725

Større størrelser iht. forespørgsel – large sizes on request

Syrefast "Power Clamp" m/1 Bolt DIN 912, Bolt M6x45mm, 20mm båndbredde

AISI 316 "Power Clamp" w/1 Bolt DIN 912, Bolt M6x45mm, 20mm Band Width

Varenr./Article No.	Min. Dim.	Max. Dim.	Bånd bredde	Band Width	Kg./stk./Pc.
RCLAMP20-1-1-35	30mm	35mm	20mm	20mm	0.079
RCLAMP20-1-1-40	34mm	40mm	20mm	20mm	0.084
RCLAMP20-1-1-45	39mm	45mm	20mm	20mm	0.090
RCLAMP20-1-1-50	44mm	50mm	20mm	20mm	0.096
RCLAMP20-1-1-55	49mm	55mm	20mm	20mm	0.100
RCLAMP20-1-1-60	54mm	60mm	20mm	20mm	0.107
RCLAMP20-1-1-65	59mm	65mm	20mm	20mm	0.118
RCLAMP20-1-1-70	64mm	70mm	20mm	20mm	0.119
RCLAMP20-1-1-75	69mm	75mm	20mm	20mm	0.123
RCLAMP20-1-1-80	74mm	80mm	20mm	20mm	0.128
RCLAMP20-1-1-85	79mm	85mm	20mm	20mm	0.135
RCLAMP20-1-1-90	84mm	90mm	20mm	20mm	0.139
RCLAMP20-1-1-95	89mm	95mm	20mm	20mm	0.144
RCLAMP20-1-1-100	94mm	100mm	20mm	20mm	0.153
RCLAMP20-1-1-105	99mm	105mm	20mm	20mm	0.155
RCLAMP20-1-1-110	104mm	110mm	20mm	20mm	0.163
RCLAMP20-1-1-115	109mm	115mm	20mm	20mm	0.166



Syrefast "Power Clamp" m/2 Bolte DIN 912, Bolt M6x45mm, 20mm båndbredde

AISI 316 "Power Clamp" w/2 Bolts DIN 912, Bolt M6x45mm, 20mm Band Width

Varenr./Article No.	Min. Dim.	Max. Dim.	Bånd bredde	Band Width	Kg./stk./Pc.
RCLAMP20-1-2-40	30mm	40mm	20mm	20mm	0.129
RCLAMP20-1-2-45	35mm	45mm	20mm	20mm	0.132
RCLAMP20-1-2-50	40mm	50mm	20mm	20mm	0.135
RCLAMP20-1-2-55	45mm	55mm	20mm	20mm	0.143
RCLAMP20-1-2-60	50mm	60mm	20mm	20mm	0.148
RCLAMP20-1-2-65	55mm	65mm	20mm	20mm	0.156
RCLAMP20-1-2-70	60mm	70mm	20mm	20mm	0.160
RCLAMP20-1-2-75	65mm	75mm	20mm	20mm	0.163
RCLAMP20-1-2-80	70mm	80mm	20mm	20mm	0.170
RCLAMP20-1-2-85	75mm	85mm	20mm	20mm	0.175
RCLAMP20-1-2-90	80mm	90mm	20mm	20mm	0.182
RCLAMP20-1-2-95	85mm	95mm	20mm	20mm	0.186
RCLAMP20-1-2-100	90mm	100mm	20mm	20mm	0.192
RCLAMP20-1-2-105	95mm	105mm	20mm	20mm	0.218
RCLAMP20-1-2-110	100mm	110mm	20mm	20mm	0.203
RCLAMP20-1-2-115	105mm	115mm	20mm	20mm	0.213
RCLAMP20-1-2-120	110mm	120mm	20mm	20mm	0.217



Syrefast "Power Clamp" m/2 Bolte DIN 912, Bolt M6x45mm, 20mm båndbredde

AISI 316 "Power Clamp" w/2 Bolts DIN 912; Bolt M6x45mm, 20mm Band Width

Varenr./Article No.	Min. Dim.	Max. Dim.	Bånd bredde	Band Width	Kg./stk./Pc.
RCLAMP20-1-2-125	115mm	125mm	20mm	20mm	0.223
RCLAMP20-1-2-130	120mm	130mm	20mm	20mm	0.227
RCLAMP20-1-2-135	125mm	135mm	20mm	20mm	0.230
RCLAMP20-1-2-140	130mm	140mm	20mm	20mm	0.236
RCLAMP20-1-2-145	135mm	145mm	20mm	20mm	0.244
RCLAMP20-1-2-150	140mm	150mm	20mm	20mm	0.250
RCLAMP20-1-2-155	145mm	155mm	20mm	20mm	0.255
RCLAMP20-1-2-160	150mm	160mm	20mm	20mm	0.260
RCLAMP20-1-2-165	155mm	165mm	20mm	20mm	0.305
RCLAMP20-1-2-170	160mm	170mm	20mm	20mm	0.270
RCLAMP20-1-2-175	165mm	175mm	20mm	20mm	0.280
RCLAMP20-1-2-180	170mm	180mm	20mm	20mm	0.294
RCLAMP20-1-2-190	180mm	190mm	20mm	20mm	0.320



Syrefast "Power Clamp" m/2 Bolte DIN 912, Bolt M8x80mm, 25mm båndbredde

AISI 316 "Power Clamp" w/2 Bolts DIN 912, Bolt M8x80mm, 25mm Band Width



Varenr./Article No.	Min. Dim.	Max. Dim.	Bånd bredde	Band Width	Kg./stk./Pc.
RCLAMP25-1-2-70	60mm	70mm	25mm	25mm	0.292
RCLAMP25-1-2-75	65mm	75mm	25mm	25mm	0.316
RCLAMP25-1-2-80	70mm	80mm	25mm	25mm	0.306
RCLAMP25-1-2-85	75mm	85mm	25mm	25mm	0.309
RCLAMP25-1-2-90	80mm	90mm	25mm	25mm	0.317
RCLAMP25-1-2-95	85mm	95mm	25mm	25mm	0.327
RCLAMP25-1-2-100	90mm	100mm	25mm	25mm	0.334
RCLAMP25-1-2-105	95mm	105mm	25mm	25mm	0.340
RCLAMP25-1-2-110	100mm	110mm	25mm	25mm	0.350
RCLAMP25-1-2-115	105mm	115mm	25mm	25mm	0.360
RCLAMP25-1-2-120	110mm	120mm	25mm	25mm	0.362
RCLAMP25-1-2-125	115mm	125mm	25mm	25mm	0.380
RCLAMP25-1-2-130	120mm	130mm	25mm	25mm	0.385
RCLAMP25-1-2-135	125mm	135mm	25mm	25mm	0.395
RCLAMP25-1-2-140	130mm	140mm	25mm	25mm	0.395
RCLAMP25-1-2-145	135mm	145mm	25mm	25mm	0.412
RCLAMP25-1-2-150	140mm	150mm	25mm	25mm	0.418



Syrefast "Power Clamp" m/2 Bolte DIN 912, Bolt M8x80mm, 25mm båndbredde


AISI 316 "Power Clamp" w/2 Bolts DIN 912, Bolt M8x80mm, 25mm Band Width

Varenr./Article No.	Min. Dim.	Max. Dim.	Bånd bredde	Band Width	Kg./stk./Pc.
RCLAMP25-1-2-155	145mm	155mm	25mm	25mm	0.425
RCLAMP25-1-2-160	150mm	165mm	25mm	25mm	0.445
RCLAMP25-1-2-165	155mm	170mm	25mm	25mm	0.475
RCLAMP25-1-2-170	160mm	175mm	25mm	25mm	0.483
RCLAMP25-1-2-175	165mm	180mm	25mm	25mm	0.485
RCLAMP25-1-2-180	170mm	185mm	25mm	25mm	0.487
RCLAMP25-1-2-190	180mm	195mm	25mm	25mm	0.512
RCLAMP25-1-2-200	190mm	205mm	25mm	25mm	0.541
RCLAMP25-1-2-210	200mm	215mm	25mm	25mm	0.550
RCLAMP25-1-2-220	210mm	225mm	25mm	25mm	0.550
RCLAMP25-1-2-230	220mm	235mm	25mm	25mm	0.566
RCLAMP25-1-2-240	230mm	245mm	25mm	25mm	0.562
RCLAMP25-1-2-250	240mm	255mm	25mm	25mm	0.600
RCLAMP25-1-2-260	250mm	265mm	25mm	25mm	0.600
RCLAMP25-1-2-270	260mm	275mm	25mm	25mm	0.600
RCLAMP25-1-2-280	270mm	285mm	25mm	25mm	0.600
RCLAMP25-1-2-290	280mm	295mm	25mm	25mm	0.625
RCLAMP25-1-2-300	290mm	305mm	25mm	25mm	0.638
RCLAMP25-1-2-310	300mm	315mm	25mm	25mm	0.650
RCLAMP25-1-2-320	310mm	325mm	25mm	25mm	0.675
RCLAMP25-1-2-330	320mm	335mm	25mm	25mm	0.675
RCLAMP25-1-2-340	330mm	345mm	25mm	25mm	0.688
RCLAMP25-1-2-350	340mm	355mm	25mm	25mm	0.700
RCLAMP25-1-2-360	350mm	365mm	25mm	25mm	0.713
RCLAMP25-1-2-370	360mm	375mm	25mm	25mm	0.725



Galv. & Rustfri Rørbøjle (Udstødningsclap), M8

Galv. & AISI304 Pipe Clamp, M8



Varenr./Article No.	Dim.	A- Dim.	B- Dim.	C- Dim.	Stk./Pcs. Kart./Box	Kg./Stk./Pc.
GR25	25mm	50.0mm	16.0mm	12.5mm	10	0,0670
GR28	28mm	53.0mm	17.5mm	14.0mm	10	0,0710
GR32	32mm	57.0mm	19.0mm	16.0mm	10	0,0790
GR35	35mm	60.0mm	20.0mm	17.5mm	10	0,0820
GR38	38mm	63.0mm	22.0mm	19.0mm	10	0,0880
GR42	42mm	67.0mm	23.5mm	21.0mm	10	0,0930
GR45	45mm	70.0mm	25.5mm	22.2mm	10	0,0990
GR48	48mm	73.0mm	26.0mm	24.2mm	10	0,1000
GR51	51mm	76.0mm	26.5mm	25.5mm	10	0,1080
GR54	54mm	79.0mm	28.0mm	27.0mm	10	0,1140
GR57	57mm	82.5mm	29.0mm	28.5mm	10	0,1170
GR60	60mm	85.5mm	30.5mm	30.0mm	10	0,1240
GR64	64mm	89.0mm	31.5mm	32.0mm	10	0,1310
GR67	67mm	92.0mm	33.0mm	33.5mm	10	0,1360
GR70	70mm	95.0mm	34.5mm	35.0mm	10	0,1430
GR73	73mm	98.0mm	36.0mm	36.5mm	10	0,1470
GR76	76mm	101mm	50.5mm	38.0mm	10	0,1540
GR83	83mm	108mm	40.0mm	41.5mm	10	0,1670
GR89	89mm	114mm	42.0mm	44.5mm	10	0,1790
GR95	95mm	121mm	44.0mm	47.5mm	10	0,1890
GR102	102mm	127mm	46.5mm	51.0mm	10	0,2040
RR25	25mm	50mm	16mm	12.5mm	10	0.0670
RR35	35mm	60mm	20mm	17.5mm	10	0.0820
RR38	38mm	63mm	22mm	19.0mm	10	0.0880
RR45	45mm	70mm	26mm	22.2mm	10	0.0990
RR51	51mm	76mm	27mm	25.5mm	10	0.1080
RR64	64mm	89mm	32mm	32.0mm	10	0.1310
RR76	76mm	102mm	51mm	38.0mm	10	0.1540



Galv. U-Bøjle, M8

Galv. U-Bolt, M8

Varenr./Article No.	Dim.	Indv. bredde	Internal Width	Indv. længde	Internal Length	Kg./Stk./Pc.
GU25	25mm	25mm	25mm	45mm	45mm	0.035
GU32	32mm	32mm	32mm	55mm	55mm	0.042
GU35	35mm	35mm	35mm	58mm	58mm	0.044
GU45	45mm	45mm	45mm	62mm	62mm	0.049
GU64	64mm	64mm	64mm	83mm	83mm	0.064
GUL35, Lang/Long	35mm	35mm	35mm	73mm	73mm	0.054
GUL45, Lang/Long	45mm	45mm	45mm	83mm	83mm	0.061




Rustfri, AISI 304 & Syrefast, AISI 316U-Bøjle, M8

S.S., AISI 304 & AISI 316 U-Bolt, M8

Varenr./Article No. Rustfri/AISI304	Dim.	Indv. bredde	Internal Width	Indv. længde	Internal Length	Kg./Stk./Pc.
RGU25	25mm	25mm	25mm	45mm	45mm	0.033
RGU32	32mm	32mm	32mm	55mm	55mm	0.041
RGU35	35mm	35mm	35mm	58mm	58mm	0.044
RGU45	45mm	45mm	45mm	65mm	65mm	0.049
RGU64	64mm	64mm	64mm	82mm	82mm	0.065

Varenr./Article No. Syrefast/AISI316	Dim.	Indv. bredde	Internal Width	Indv. længde	Internal Length	Kg./Stk./Pc.
SGU8/25/50	28mm	28mm	28mm	50mm	50mm	0.035
SGU8/35/55	35mm	35mm	35mm	55mm	55mm	0.040
SGU8/45/65	45mm	45mm	45mm	65mm	65mm	0.049
SGU8/51/70	51mm	51mm	51mm	70mm	70mm	0.055
SGU8/62/85	62mm	62mm	62mm	85mm	85mm	0.070



Galv. & rustfri Gummiklemme

Galv. & AISI304 Rubber Clamp

Varenr./Article No.	Dim.	d- Dim.	Bånd tykkelse	Thickn. Band	b1- Dim.	Kg./Stk./Pc.	Stk./Pcs./ Karton/Box
GG3	3mm	3mm	0.8mm	0.8mm	13mm	0.0059	50
GG5**	5mm	5mm	0.8mm	0.8mm	13mm	0.0061	50
GG6**	6mm	6mm	0.8mm	0.8mm	13mm	0.0072	50
GG8**	8mm	8mm	0.8mm	0.8mm	13mm	0.0075	50
GG10**	10mm	10mm	0.8mm	0.8mm	13mm	0.0084	50
GG11**	11mm	11mm	0.8mm	0.8mm	13mm	0.0089	50
GG12**	12mm	12mm	1.0mm	1.0mm	13mm	0.0100	50
GG13**	13mm	13mm	1.0mm	1.0mm	13mm	0.0113	50
GG14**	14mm	14mm	1.0mm	1.0mm	13mm	0.0124	50
GG16	16mm	16mm	1.0mm	1.0mm	13mm	0.0130	50
GG18**	18mm	18mm	1.0mm	1.0mm	13mm	0.0140	25
GG19	19mm	19mm	1.0mm	1.0mm	13mm	0.0150	25
GG21**	21mm	21mm	1.0mm	1.0mm	13mm	0.0162	25
GG22	22mm	22mm	1.0mm	1.0mm	13mm	0.0164	25
GG24**	24mm	24mm	1.0mm	1.0mm	13mm	0.0168	25
GG25	25mm	25mm	1.0mm	1.0mm	13mm	0.0184	25
GG27	27mm	27mm	1.3mm	1.3mm	13mm	0.0238	25
GG29**	29mm	29mm	1.3mm	1.3mm	13mm	0.0240	25
GG30	30mm	30mm	1.3mm	1.3mm	13mm	0.0242	25
GG32**	32mm	32mm	1.3mm	1.3mm	13mm	0.0256	25
GG33	33mm	33mm	1.3mm	1.3mm	13mm	0.0262	25
GG35	35mm	35mm	1.3mm	1.3mm	13mm	0.0274	25
GG36	36mm	36mm	1.3mm	1.3mm	13mm	0.0290	25
GG38**	38mm	38mm	1.3mm	1.3mm	13mm	0.0294	25
GG41	41mm	41mm	1.3mm	1.3mm	13mm	0.0310	25
GG45	45mm	45mm	1.3mm	1.3mm	13mm	0.0356	25
GG47	47mm	47mm	1.3mm	1.3mm	13mm	0.0364	25
GG51	51mm	51mm	1.3mm	1.3mm	13mm	0.0380	25
GG54	54mm	54mm	1.3mm	1.3mm	13mm	0.0420	25
GG60	60mm	60mm	1.3mm	1.3mm	13mm	0.0424	25
GG63	63mm	63mm	1.3mm	1.3mm	13mm	0.0475	25
GG74	74mm	74mm	1.3mm	1.3mm	13mm	0.0540	25

****Føres også i Rustfri – Also available in AISI304**



Galv. Stålwire, konstruktion 6x7+1FC

Galv. Steel Wire Rope, Construction 6x7+1FC


Varenr./Article No.	Dim.	Brud styrke	Break. Load	Føres også i	Also available	Kg./m./Mtr
GS72110	2mm/110m.	240kg.	240kg.			0.0100
GS72220	2mm/220m.	240kg.	240kg.			0.0100
GS72300	2mm/3 km.	240kg.	240kg.			0.0100
GS73110	3mm/110m.	540kg.	540kg.			0.0230
GS73220	3mm/220m.	540kg.	540kg.			0.0230
GS73200	3mm/2 km.	540kg.	540kg.			0.0230
GS74110	4mm/110m.	950kg.	950kg.			0.0500
GS74220	4mm/220m.	950kg.	950kg.			0.0500
GS74200	4mm/2 km.	950kg.	950kg.			0.0500
GS75110	5mm/110m.	1500kg.	1500kg.			0.0895
GS75220	5mm/220m.	1500kg.	1500kg.			0.0895
GS75100	5mm/1 km.	1500kg.	1500kg.			0.0895
GS72/25	2mm	240kg.	240kg.	25mtr.	25mtr.	0.0100
GS73/25	3mm	540kg.	540kg.	25mtr.	25mtr.	0.0230



Galv. Stålwire, konstruktion 6x12+7


Galv. Steel Wire Rope, Construction 6x12+7

Varenr./Article No.	Dim.	Brud styrke	Break. Load	Føres også i	Also available	Kg./m./Mtr
GS123110	3mm/110m.	300kg.	300kg.			0.0226
GS123220	3mm/220m.	300kg.	300kg.			0.0226
GS123200	3mm/2 km.	300kg.	300kg.			0.0226
GS124110	4mm/110m.	530kg.	530kg.	25mtr.	25mtr.	0.0400
GS124220	4mm/220m.	530kg.	530kg.			0.0400
GS124200	4mm/2 km.	530kg.	530kg.			0.0400
GS125110	5mm/110m.	830kg.	830kg.	25mtr.	25mtr.	0.0626
GS125220	5mm/220m.	830kg.	830kg.			0.0626
GS125100	5mm/1 km.	830kg.	830kg.			0.0626
GS126110	6mm/110m.	1200kg.	1200kg.	25mtr.	25mtr.	0.0900
GS126220	6mm/220m.	1200kg.	1200kg.			0.0900
GS126100	6mm/1 km.	1200kg.	1200kg.			0.0900
GS128110	8mm/110m.	2100kg.	2100kg.	25mtr.	25mtr.	0.1600
GS128220	8mm/220m.	2100kg.	2100kg.			0.1600
GS128100	8mm/1 km.	2100kg.	2100kg.			0.1600



Galv. Stålwire, konstruktion 6x24+7
Galv. Steel Wire Rope, Construction 6x24+7

Varenr./Article No.	Dim.	Brud styrke	Break. Load	Kg./m./Mtr
GS246110	6mm/110m.	1600kg.	1600kg.	0.1150
GS246220	6mm/220m.	1600kg.	1600kg.	0.1150
GS246100	6mm/1 km.	1600kg.	1600kg.	0.1150
GS248110	8mm/110m.	2800kg.	2800kg.	0.2040
GS248220	8mm/220m.	2800kg.	2800kg.	0.2040
GS248100	8mm/1 km.	2800kg.	2800kg.	0.2040
GS2410110	10mm/110	4400kg.	4400kg.	0.3180
GS2410220	10mm/220	4400kg.	4400kg.	0.3180
GS2412110	12mm/110	6400kg.	6400kg.	0.4580
GS2412220	12mm/220	6400kg.	6400kg.	0.4580



Galv. Stålwire, konstruktion 7x19
Galv. Steel Wire Rope, Construction 7x19

Varenr./Article No.	Dim.	Brud styrke	Break. Load	Kg./m./Mtr
GS7193**	3mm	910kg.	910kg.	0.0390
GS7194**	4mm	1270kg.	1270kg.	0.0690
GS7195**	5mm	1910kg.	1910kg.	0.0950
GS7196**	6mm	3180kg.	3180kg.	0.1550
GS7197	7mm	4000kg.	4000kg.	0.2075
GS7198	8mm	4450kg.	4450kg.	0.2600
GS71910	10mm	6545kg.	6545kg.	0.3460




****Føres også i 50mtr. ringe – Also available in 50mtr. coils**



PVC-forhudet Stålwire, Konstruktion 6x7+1FC & 7x7
PVC-Coated Steel Wire Rope, Construction 6x7+1FC & 7x7




Varenr./Article No.	Dim.	Brud styrke	Break. Load	Farve	Colour	Kg./m./Mtr
PVC23110	2-3mm/110	240kg.	240kg.	Transp.	Transp.	0.0210
PVC23220	2-3mm/220	240kg.	240kg.	Transp.	Transp.	0.0210
PVC23/25	2-3mm/ 25m	240kg.	240kg.	Transp.	Transp.	0.0210
PVC34110	3-4mm/110	540kg.	540kg.	Transp.	Transp.	0.0407
PVC34220	3-4mm/220	540kg.	540kg.	Transp.	Transp.	0.0407
PVC34/25	3-4mm/ 25m	540kg.	540kg.	Transp.	Transp.	0.0407
PVC34/200R	3-4mm/2km	540kg.	540kg.	RØD	RED	0.0670
PVC45110	4-5mm/110	960kg.	960kg.	Transp.	Transp.	0.0670
PVC45220	4-5mm/220	960kg.	960kg.	Transp.	Transp.	0.0670
PVC45/25	4-5mm/ 25m	960kg.	960kg.	Transp.	Transp.	0.0670
PVC46110	4-6mm/110	960kg.	960kg.	Transp.	Transp.	0.0790
PVC46220	4-6mm/220	960kg.	960kg.	Transp.	Transp.	0.0790
PVC46100	4-6mm/1km	960kg.	960kg.	Transp.	Transp.	0.0790
PVC56110	5-6mm/110	1500kg.	1500kg.	Transp.	Transp.	0.0900
PVC56220	5-6mm/220	1500kg.	1500kg.	Transp.	Transp.	0.0900
PVC68110	6-8mm/110	2150kg.	2150kg.	Transp.	Transp.	0.0940
PVC68220	6-8mm/220	2150kg.	2150kg.	Transp.	Transp.	0.0940
PVC7712HVID	1-2mm/110	100kg.	100kg.	HVID	WHITE	0.0100



Nylon & PVC-forhudet stålwire, konstruktion 1x19
Nylon & PVC-Coated Steel Wire Rope, Constr. 1x19


Varenr./Article No.	Dim.	Brud styrke	Break. Load	Oplægning Length	Kg./m./Mtr
NYL1323/100	1.3-2.3mm	200kg.	200kg.	100m.	0.0110
NYL1323/25	1.3-2.3mm	200kg.	200kg.	25m.	0.0110
PVC1323	1.3-2.3mm	200kg.	200kg.	100m.	0.0110




Syrefast, AISI 316 Stålwire, Konstruktion 7x19
S.S., AISI 316 Steel Wire Rope, Construction 7x19

Varenr./Article No.	Dim.	Oplægn./ Spole	Length/ Reel	Oplægn./ Spole	Length/ Reel	Kg./Stk./Pc.	Brudst. Break L.
RSW7192	2mm	250m.	250m.	110m.	110m.	0.0171	230kg.
RSW7193	3mm	250m.	250m.	110m.	110m.	0.0342	538kg.
RSW7194	4mm	250m.	250m.	110m.	110m.	0.0609	956kg.
RSW7195	5mm	250m.	250m.	110m.	110m.	0.0952	1490kg.
RSW7196	6mm	250m.	250m.	110m.	110m.	0.1380	2150kg.
RSW7198	8mm	250m.	250m.	110m.	110m.	0.2430	3400kg.
RSW71910	10mm	250m.	250m.	110m.	110m.	0.3810	5300kg.
RSW71912	12mm	250m.	250m.	110m.	110m.	0.5480	7600kg.
RSW7192/25	2mm	25m.	25m.			0.0171	230kg.
RSW7193/25	3mm	25m.	25m.			0.0342	538kg.
RSW7194/25	4mm	25m.	25m.			0.0609	956kg.

Syrefast, AISI 316 Stålwire, Konstruktion 7x7
S.S., AISI 316 Steel Wire Rope, Construction 7x7




Varenr./Article No.	Dim.	Oplægn./ Spole	Length/ Reel	Kg./Stk./Pc.	Brudst. Break L.
RSW77072	0.72mm	1000m	1000m	0.0040	40kg.
RSW771	1mm	1000m.	1000m.	0.0046	70kg.
RSW7715	1.5mm	100/500m	100/500m.	0.0069	90kg.
RSW772	2mm	2000m.	2000m.	0.0157	258kg.
RSW773	3mm	500m.	500m.	0.0354	581kg.
RSW774	4mm	250m.	250m.	0.0629	1000kg.
RSW775	5mm	250m	250m	0.0983	1600kg.
RSW776	6mm	250m.	250m.	0.1420	2300kg.



Syrefast, AISI 316 Stålwire, Konstruktion 1x19
S.S., AISI 316 Steel Wire Rope, Construction 1x19



Varenr./Article No.	Dim.	Oplægn./ Spole	Length/ Reel	Kg./Stk./Pc.	Brudst. Break. L.
RSW1191	1mm	1000m.	1000m.	0.0050	84kg.
RSW1192	2mm	2000m.	2000m.	0.0210	336kg.
RSW1193	3mm	500m.	500m.	0.0444	756kg.
RSW1194	4mm	250m.	250m.	0.0793	1340kg.
RSW1195	5mm	250m	250m	0.1240	2100kg.
RSW1196	6mm	250m.	250m.	0.1780	3000kg.




PVC-forh. Syrefast, AISI 316 Stålwire, Konstruktion 7x7
PVC-Coated S.S., AISI 316 Steel Wire Rope, Construction 7x7



Varenr./Article No.	Dim.	Brud styrke	Break. Load	Kg./m./Mtr
RSW7712	1-2mm	70kg.	70kg.	0.0050
RSW7723	2-3mm	258kg.	258kg.	0.0210
RSW7735	3-5mm	500kg.	500kg.	0.0850


PVC-forh. Sikkerhedswire
PVC-Coated Safty Wire






Galv. D-Sjækel, Handelstype
Galv. "D" Shackle, Commercial Type

Varenr./Article No.	Dim.	B- Dim.	D- Dim.	d- Dim.	H- Dim.	Kg./Stk./Pc.	WLL
GD5	5mm	10mm	5mm	5mm	19mm	0,0180	80kg.
GD6	6mm	12mm	6mm	6mm	24mm	0,0290	100kg.
GD8	8mm	16mm	8mm	8mm	32mm	0,0600	200kg.
GD10	10mm	20mm	10mm	10mm	40mm	0,1200	320kg.
GD11	11mm	22mm	11mm	11mm	44mm	0,1750	400kg.
GD13	13mm	25mm	13mm	13mm	48mm	0,2135	520kg.
GD14	14mm	28mm	14mm	14mm	56mm	0,3400	650kg.
GD16	16mm	32mm	16mm	16mm	64mm	0,5000	800kg.
GD19	19mm	38mm	19mm	19mm	76mm	0,8500	1100kg.
GD22	22mm	44mm	22mm	22mm	85mm	1,3350	1500kg.
GD25	25mm	50mm	25mm	25mm	95mm	1,9000	2100kg.
GD28	28mm	56mm	28mm	28mm	106mm	3,0000	3000kg.
GD32	32mm	64mm	32mm	32mm	120mm	4,3000	3500kg.
GD34	34mm	70mm	34mm	34mm	130mm	6,7500	5000kg.



Galv. H-Sjækel, Handelstype
Galv. "BOW" Shackle, Commercial Type


Varenr./Article No.	Dim.	B- Dim.	D- Dim.	d- Dim.	H- Dim.	Kg./Stk./Pc.	WLL
GH5	5mm	10mm	5mm	5mm	16mm	0,0190	80kg.
GH6	6mm	13mm	6mm	6mm	22mm	0,0310	100kg.
GH8	8mm	17mm	8mm	8mm	29mm	0,0680	200kg.
GH10	10mm	18mm	10mm	10mm	32mm	0,1235	320kg.
GH11	11mm	22mm	11mm	11mm	36mm	0,1900	400kg.
GH13	13mm	25mm	13mm	13mm	40mm	0,2200	520kg.
GH14	14mm	29mm	14mm	14mm	46mm	0,3600	650kg.
GH16	16mm	32mm	16mm	16mm	52mm	0,5150	800kg.
GH19	19mm	38mm	19mm	19mm	64mm	0,9500	1100kg.
GH22	22mm	44mm	22mm	22mm	75mm	1,3667	1500kg.
GH25	25mm	50mm	25mm	25mm	83mm	2,0000	2100kg.
GH28	28mm	56mm	28mm	28mm	96mm	3,1000	3000kg.
GH32	32mm	64mm	32mm	32mm	114mm	4,3000	3500kg.
GH34	34mm	76mm	34mm	34mm	126mm	5,3000	5000kg.



Varmgalv. Stålsjækkel m/rødmalet Pin, Brudstyrke 6xWLL

H.D. High Tensile "BOW" Shackle w/Eye Bolt, BL 6xWLL


Varenr./Article No.	Dim.	B- Dim.	d- Dim.	H- Dim.	r- Dim.	Kg./Stk./Pc.	WLL
209/050	1/4" x 5/16"	13mm	8mm	28mm	20mm	0,0500	500kg.
209/075	5/16" x 3/8"	14mm	10mm	31mm	21mm	0,0800	750kg.
209/100	3/8" x 7/16"	17mm	11mm	37mm	26mm	0,1400	1000kg.
209/150	7/16" x 1/2"	18mm	13mm	43mm	29mm	0,2200	1500kg.
209/200	1/2" x 5/8"	21mm	16mm	48mm	33mm	0,3300	2000kg.
209/325	5/8" x 3/4"	27mm	19mm	60mm	43mm	0,6500	3250kg.
209/475	3/4" x 7/8"	32mm	22mm	71mm	51mm	0,9700	4750kg.
209/650	7/8" x 1"	37mm	25mm	84mm	58mm	1,4700	6500kg.
209/850	1" x 1 1/8"	43mm	28mm	95mm	68mm	2,3950	8500kg.
209/950	1 1/8 x 1 1/4"	46mm	32mm	104mm	75mm	3,1000	9500kg.
209/1200	1 1/4 x 1 3/8"	52mm	36mm	119mm	82mm	4,1000	12000kg.



Varmgalv. Stålsjækkel m/rødmalet Split Pin, Brudstyrke 6xWLL


H.D. High Tensile "BOW" Shackle w/Split Pin, BL 6xWLL

Varenr./Article No.	Dim.	B- Dim.	d- Dim.	D- Dim.	H- Dim.	Kg./Stk./Pc.	WLL
2130/050	1/4" x 5/16"	13mm	8mm	6mm	22mm	0,0600	500kg.
2130/075	5/16" x 3/8"	14mm	10mm	8mm	26mm	0,1000	750kg.
2130/100	3/8" x 7/16"	17mm	11mm	10mm	32mm	0,2000	1000kg.
2130/150	7/16" x 1/2"	18mm	13mm	11mm	36mm	0,3000	1500kg.
2130/200	1/2" x 5/8"	21mm	16mm	13mm	41mm	0,4000	2000kg.
2130/325	5/8" x 3/4"	27mm	19mm	16mm	51mm	0,7500	3250kg.
2130/475	3/4" x 7/8"	32mm	22mm	19mm	60mm	1,0000	4750kg.
2130/650	7/8" x 1"	37mm	25mm	22mm	71mm	1,6500	6500kg.
2130/850	1" x 1 1/8"	43mm	28mm	25mm	81mm	2,4500	8500kg.




Syrefast, AISI 316 D-Sjækel, Handelstype
S.S., AISI 316 "D" Shackle, Commercial Type

Varenr./Article No.	Dim.	B- Dim.	D- Dim.	d- Dim.	H- Dim.	Kg./Stk./Pc.	WLL
RD4	4mm	8mm	4mm	4mm	16mm	0,0120	100kg
RD5	5mm	10mm	5mm	5mm	19mm	0,0180	120kg
RD6	6mm	12mm	6mm	6mm	24mm	0,0290	150kg.
RD8	8mm	16mm	8mm	8mm	32mm	0,6600	250kg.
RD10	10mm	20mm	10mm	10mm	40mm	0,1200	400kg.
RD12	12mm	25mm	12mm	12mm	48mm	0,2135	600kg.
RD16	16mm	32mm	16mm	16mm	64mm	0,5000	1000kg.
RD19	19mm	38mm	19mm	19mm	76mm	0,8500	1500kg.
RD25	25mm	50mm	25mm	25mm	95mm	1,9000	2000kg.



Syrefast, AISI 316 H-Sjækel, Handelstype
S.S., AISI 316 "BOW " Shackle, Com. Type


Varenr./Article No.	Dim.	B- Dim.	D- Dim.	d- Dim.	H- Dim.	Kg./Stk./Pc.	WLL
RH4	4mm	8mm	4mm	4mm	16mm	0,0100	100kg.
RH5	5mm	10mm	5mm	5mm	16mm	0,0190	120kg.
RH6	6mm	13mm	6mm	6mm	22mm	0,0310	150kg.
RH8	8mm	17mm	8mm	8mm	29mm	0,0680	250kg.
RH10	10mm	18mm	10mm	10mm	32mm	0,1235	400kg.
RH12	12mm	25mm	12mm	12mm	40mm	0,2200	600kg.
RH16	16mm	32mm	16mm	16mm	52mm	0,5150	1000kg.
RH19	19mm	38mm	19mm	19mm	64mm	0,9500	1500kg.
RH25	25mm	50mm	25mm	25mm	83mm	2,0000	2000kg.



Syrefast, AISI 316 D-Sjækel m/Kærv el. 6-kant bolt

S.S., AISI 316 "D" Shackle w/Counter Sunk Pin or Hex Soc. Pin


Varenr./Article No.	Dim.	b1 Dim.	d4 Dim.	h1 Dim.	Kg./Stk./Pc.	WLL
RDK5	5mm	10mm	5mm	19mm	0,0180	120kg.
RDK6	6mm	12mm	6mm	24mm	0,0290	150kg.
RD6/6-KANT	6mm	12mm	6mm	18mm	0,0290	150kg.



Syrefast, AISI 316 D-Sjækel, VREDET Model

S.S., AISI 316 "D" Shackle, TWISTED Model

Varenr./Article No.	D- Dim.	d- Dim.	B- Dim.	H- Dim.	Kg./Stk./Pc.	WLL
RDT5	5mm	5mm	10mm	28mm	0.0180	100kg.
RDT6	6mm	6mm	12mm	37mm	0.0280	150kg.
RDT8	8mm	8mm	16mm	42mm	0.0640	250kg.
RDT10	10mm	10mm	20mm	55mm	0.1500	400kg.




Rustfri, AISI 304 D-Nøgle Sjækel
S.S., AISI 304 Key Shackle

Varenr./Article No.	A-Dim.	D- Dim.	B- Dim.	Længde Length	Kg./Stk./Pc	Brudst. Break. L
RDTV5/26	5mm	2.5mm	11mm	26mm	0.015	750kg.
RDTV5/34	5mm	2.5mm	14mm	34mm	0.016	750kg.
RDTV6/39	6mm	3.0mm	14mm	39mm	0.029	1500kg.
RDTV6/48	6mm	3.0mm	18mm	48mm	0.032	1500kg.
RDTV8/44	8mm	4.0mm	20mm	44mm	0.058	2000kg.




Rustfri Plade D-Sjækel, AISI 304
S.S., AISI 304 Stamped "D" Shackle,


Varenr./Article No.	Dim.	A- Dim.	D- Dim.	L- Dim.	Kg./Stk./Pc.	Brudst. Break. L.
RDS4/15	4mm	10mm	4mm	15mm	0.005	600kg.
RDS5/18	5mm	12mm	5mm	18mm	0.009	600kg.
RDS5/24	5mm	12mm	5mm	24mm	0.014	1000kg.
RDS5/25	5mm	11mm	5mm	25mm	0.012	1100kg.
RDS5/35	5mm	15mm	5mm	35mm	0.016	1300kg.
RDS6/25	6mm	15mm	6mm	25mm	0.024	2000kg.
RDS6/48	6mm	16mm	6mm	48mm	0.032	2000kg.
RDS8/30	8mm	18mm	8mm	30mm	0.040	3000kg.
RDS8/44	8mm	20mm	8mm	44mm	0.050	3000kg.



Rustfri, AISI 304 Plade H-Sjækel
S.S., AISI 304 Stamped "BOW" Shackle

Varenr./Article No.	Dim.	A- Dim.	D- Dim.	L- Dim.	Kg./Stk./Pc.	Brudst. Break. L.
RHS6/24	6mm	16mm	6mm	24mm	0.024	2000kg.
RHS8/29	8mm	18mm	8mm	29mm	0.040	3000kg.
RHS8/41	8mm	20mm	8mm	41mm	0.050	3000kg.






Galv. Bardunstrammer Øje/Krog, DIN 1480

Galv. Turnbuckle Eye/Hook, DIN 1480


Varenr./Article No.	d-Dim.	L- Dim.	L1- Dim	L1- Dim	Øje/krog. Diam./Åbning Eye/hook D/Open	Kg./Stk./Pc.	WLL
ØK5	5mm	70mm	35mm	35mm	8x7mm	0,052	35kg.
ØK6	6mm	110mm	55mm	55mm	9x8mm	0,099	70kg.
ØK8	8mm	110mm	57mm	57mm	10x11mm	0,159	140kg.
ØK10	10mm	125mm	68mm	68mm	14x13mm	0,289	220kg.
ØK12	12mm	125mm	70mm	70mm	16x15mm	0,422	450kg.
ØK16	16mm	170mm	88mm	88mm	22x19mm	0,966	600kg.
ØK20	20mm	200mm	105mm	105mm	24x20mm	1,720	910kg.
ØK22	22mm	220mm	118mm	118mm	27x26mm	2,170	1100kg.
ØK24	24mm	255mm	135mm	135mm	27x26mm	3,050	1300kg.



Galv. Bardunstrammer Øje/Øje, DIN 1480

Galv. Turnbuckle Eye/Eye, DIN 1480

Varenr./Article No.	d-Dim.	L- Dim.	L1- Dim	L1- Dim	Øje/Eye Diam.	Kg./Stk./Pc.	WLL
ØØ5	5mm	70mm	35mm	35mm	8mm	0,052	35kg.
ØØ6	6mm	110mm	55mm	55mm	9mm	0,099	70kg.
ØØ8	8mm	110mm	57mm	57mm	10mm	0,159	140kg.
ØØ10	10mm	125mm	68mm	68mm	14mm	0,289	220kg.
ØØ12	12mm	125mm	70mm	70mm	16mm	0,422	450kg.
ØØ16	16mm	170mm	88mm	88mm	22mm	0,966	600kg.
ØØ20	20mm	200mm	105mm	105mm	24mm	1,720	910kg.
ØØ22	22mm	220mm	118mm	118mm	27mm	2,170	1100kg.
ØØ24	24mm	255mm	135mm	135mm	27mm	3,050	1300kg.



Syrefast, AISI 316 Bardunstrammer, Øje/Øje, DIN 1480

S.S., AISI 316 Turnbuckle, Eye/Eye, DIN 1480


Varenr./Article No.	d-Dim.	L- Dim.	L1- Dim	L1- Dim	Krog – Hook Åbning/Opening	Kg./Stk./Pc.	WLL
RØØ5	5mm	70mm	35mm	35mm	7mm	0,052	35kg.
RØØ6	6mm	110mm	55mm	55mm	8mm	0,099	70kg.
RØØ8	8mm	110mm	57mm	57mm	11mm	0,159	140kg.
RØØ10	10mm	125mm	68mm	68mm	13mm	0,289	220kg.
RØØ12	12mm	125mm	70mm	70mm	15mm	0,422	450kg.
RØØ16	16mm	170mm	88mm	88mm	19mm	0,966	600kg.
RØØ20	20mm	200mm	105mm	105mm	20mm	1,720	910kg.
RØØ22	22mm	220mm	118mm	118mm	26mm	2,170	1100kg.
RØØ24	24mm	255mm	135mm	135mm	26mm	3,050	1300kg.



Syrefast, AISI 316 Bardunstrammer, Øje/Krog, DIN 1480

S.S., AISI 316 Turnbuckle, Eye/Hook, DIN 1480

Varenr./Article No.	d-Dim.	L- Dim.	L1- Dim	L1- Dim	Øje/krog. Diam./Åbning Eye/hook D/Opening	Kg./Stk./Pc.	WLL
RØK5	5mm	70mm	35mm	35mm	8x7mm	0,052	50kg.
RØK6	6mm	110mm	55mm	55mm	9x8mm	0,099	70kg.
RØK8	8mm	110mm	57mm	57mm	10x11mm	0,159	140kg.
RØK10	10mm	125mm	68mm	68mm	14x13mm	0,289	220kg.
RØK12	12mm	125mm	70mm	70mm	16x15mm	0,422	310kg.
RØK16	16mm	170mm	88mm	88mm	22x19mm	0,966	600kg.
RØK20	20mm	200mm	105mm	105mm	24x20mm	1,720	800kg.
RØK22	22mm	220mm	118mm	118mm	27x26mm	2,170	1000kg.
RØK24	24mm	255mm	135mm	135mm	27x26mm	3,050	1300kg.



Varmgalv. Vantskrue m/tilsvejsningsender

H.D. Closed Body Rigging Screw w/Welding Studs


Varenr./Article No.	d- Dim.	L-Dim.	L1-Dim.	Kg./Stk./Pc.	WLL
GWS10	10mm	284mm	125mm	0,450	500kg.
GWS12	12mm	360mm	195mm	0,660	700kg.
GWS16	16mm	436mm	230mm	1,510	1200kg.
GWS20	20mm	482mm	270mm	2,930	1500kg.
GWS25	24mm	550mm	325mm	5,000	3200kg.




Varmgalv. Vantskrue, Gaffel/Gaffel

H.D. Closed Body Rigging Screw, Jaw/Jaw


Varenr./Article No.	d- Dim.	A- Dim.	D- Dim.	L-Dim.	L1-Dim.	Kg./Stk./Pc.	WLL
GW6	6mm	7.0mm	5.0mm	177mm	100mm	0,130	200kg.
GW8	8mm	9.0mm	6.0mm	210mm	108mm	0,260	320kg.
GW10	10mm	10.5mm	8.0mm	232mm	125mm	0,450	500kg.
GW12	12mm	13.0mm	10.0mm	270mm	195mm	0,660	700kg.
GW16	16mm	18.0mm	12.0mm	380mm	230mm	1,510	1200kg.
GW20	20mm	20.0mm	16.0mm	455mm	270mm	2,930	1500kg.
GW22	22mm	25.0mm	20.0mm	505mm	295mm	3,100	2200kg.
GW25	24mm	30.0mm	22.0mm	567mm	325mm	5,000	3200kg.
GW32	32mm	38.0mm	30.0mm	710mm	370mm	9,950	4800kg.





**Syrefast, AISI 316 Vantskrue, AISI 316, Gaffel/Gaffel
S.S., AISI 316 Closed Body Rigging Screw, Jaw/Jaw**

Varenr./Article No.	d- Dim.	A- Dim.	D- Dim.	L-Dim.	L1-Dim.	Kg./Stk./Pc.	WLL
RW5	5mm	6.0mm	5.2mm	125mm	80mm	0,130	100kg.
RW6	6mm	7.5mm	6.2mm	150mm	95mm	0,130	222kg.
RW8	8mm	10.0mm	8.4mm	180mm	105mm	0,260	360kg.
RW10	10mm	12.0mm	9.4mm	220mm	125mm	0,450	520kg.
RW12	12mm	14.0mm	12.3mm	270mm	150mm	0,660	780kg.
RW16	16mm	16.0mm	16.0mm	330mm	190mm	1,510	1215kg.
RW20	20mm	20.0mm	19.0mm	360mm	210mm	2,930	1620kg.




Galv. eller malet Wirestrammer – I.h.t. bestilling

Galv. or painted Wire Stretcher – Acc. to Order

Varenr./Article No.	Dim.	B- Dim.	L- Dim.	Farve	Colour	Kg./Stk./Pc.
GWS100**	100mm	30mm	100mm	Galv.	Galv.	0.080
GWS120	120mm	30mm	120mm	Galv.	Galv.	0.115
GWS130	130mm	42mm	130mm	Galv.	Galv.	0.203
GRWS100	100mm	30mm	100mm	Grøn	Green	0.080
GRWS120	120mm	30mm	120mm	Grøn	Green	0.115
GRWS130	130mm	42mm	130mm	Grøn	Green	0.203

****Lagervare - In stock**




Aluminium & kobber Wirelås, Europa Norm EN13411-3

Aluminium & Copper Ferrule, European Norm EN13411-3

KAN SKAFFES I RUSTFRI – AISI304 ACCORDING TO ORDER

Varenr./Article No.	Dim.	Til Wire Diam.	For Wire D.	A- Dim.	B. Dim.	Wd- Dim.	Kg./Stk./Pc.	Stk./Pcs./Pose/Bag
ALU100	1.0mm	1.0mm	1.0mm	1.2mm	2.4mm	0.65mm	0,00010	200
ALU15	1.5mm	1.5mm	1.5mm	1.7mm	3.4mm	0.75mm	0,00021	200
ALU20	2.0mm	2.0mm	2.0mm	2.4mm	4.8mm	0.85mm	0,00024	200
ALU25	2.5mm	2.5mm	2.5mm	2.7mm	5.4mm	1.05mm	0,00049	200
ALU30	3.0mm	3.0mm	3.0mm	3.3mm	6.6mm	1.25mm	0,00084	200
ALU35	3.5mm	3.5mm	3.5mm	3.8mm	7.6mm	1.50mm	0,00132	200
ALU40	4.0mm	4.0mm	4.0mm	4.4mm	8.8mm	1.70mm	0,00181	200
ALU45	4.5mm	4.5mm	4.5mm	4.9mm	9.8mm	1.90mm	0,00261	200
ALU50	5.0mm	5.0mm	5.0mm	5.5mm	11.0mm	2.10mm	0,00357	100
ALU60	6.0mm	6.0mm	6.0mm	6.6mm	13.2mm	2.50mm	0,00586	100
ALU65	6.5mm	6.5mm	6.5mm	7.2mm	14.4mm	2.70mm	0,00755	100
ALU70	7.0mm	7.0mm	7.0mm	7.8mm	15.6mm	2.90mm	0,00953	100
ALU80	8.0mm	8.0mm	8.0mm	8.8mm	17.6mm	3.30mm	0,01370	100
ALU90	9.0mm	9.0mm	9.0mm	9.9mm	19.8mm	3.70mm	0,01980	100
ALU10	10.0mm	10.0mm	10.0mm	10.9mm	21.8mm	4.10mm	0,02640	100
ALU11	11.0mm	11.0mm	11.0mm	12.1mm	24.2mm	4.50mm	0,03580	100
ALU12	12.0mm	12.0mm	12.0mm	13.2mm	26.4mm	4.90mm	0,04580	100

Varenr./Article No.	Dim.	Til Wire Diam.	For Wire D.	A- Dim.	B. Dim.	Wd- Dim.	Kg./Stk./Pc.
KOB10	1.0mm	1.0mm	1.0mm	1.2mm	2.4mm	0.65mm	0,00010
KOB15	1.5mm	1.5mm	1.5mm	1.7mm	3.4mm	0.75mm	0,00021
KOB20	2.0mm	2.0mm	2.0mm	2.4mm	4.8mm	0.85mm	0,00024
KOB25	2.5mm	2.5mm	2.5mm	2.7mm	5.4mm	1.05mm	0,00049
KOB30	3.0mm	3.0mm	3.0mm	3.3mm	6.6mm	1.25mm	0,00084
KOB35	3.5mm	3.5mm	3.5mm	3.8mm	7.6mm	1.50mm	0,00132
KOB40	4.0mm	4.0mm	4.0mm	4.4mm	8.8mm	1.70mm	0,00181
KOB45	4.5mm	4.5mm	4.5mm	4.9mm	9.8mm	1.90mm	0,00261
KOB50	5.0mm	5.0mm	5.0mm	5.5mm	11.0mm	2.10mm	0,00357
KOB60	6.0mm	6.0mm	6.0mm	6.6mm	13.2mm	2.50mm	0,00586
KOB65	6.5mm	6.5mm	6.5mm	7.2mm	14.4mm	2.70mm	0,00755
KOB70	7.0mm	7.0mm	7.0mm	7.8mm	15.6mm	2.90mm	0,00953
KOB80	8.0mm	8.0mm	8.0mm	8.8mm	17.6mm	3.30mm	0,01370




Galv., rustfri (AISI304)og syrefast (AISI316) Bøjlewirelås, DIN 741

Galv. , AISI304 and AISI316 Wire Rope Clip, DIN 741

Varenr./Article No.	Dim.	A- Dim.	B- Dim.	C- Dim.	Kg./Stk./Pc.
GWL3	3mm	4mm	16mm	9mm	0,0072
GWL5	5mm	5mm	19mm	11mm	0,0114
GWL6	6mm	5mm	23mm	13mm	0,0140
GWL8	8mm	6mm	28mm	16mm	0,0235
GWL10	10mm	8mm	35mm	19mm	0,0666
GWL11	11mm	8mm	37mm	20mm	0,0715
GWL13	13mm	10mm	46mm	24mm	0,1064
GWL14	14mm	10mm	48mm	25mm	0,1360
GWL16	16mm	12mm	52mm	29mm	0,2129
GWL19	19mm	12mm	64mm	32mm	0,2649
GWL22	22mm	14mm	72mm	37mm	0,3960
GWL25	25mm	14mm	82mm	41mm	0,3890
GWL28	28mm	16mm	95mm	48mm	0,7200
GWL32	32mm	16mm	105mm	52mm	0,8270
GWL38	38mm	16mm	125mm	58mm	0,9880

Varenr./Article No.	Dim.	A- Dim.	B- Dim.	C- Dim.	Kvalitet Quality	Kg./Stk./Pc.
RWL2	2mm	3mm	15mm	6.6mm	AISI304	0,0135
RWL3	3mm	4mm	16mm	9mm	AISI304	0,0140
RWL4	4mm	4mm	18.5mm	9mm	AISI304	0,0145
RWL5	5mm	5mm	19mm	11mm	AISI304	0,0150
RWL6	6mm	5mm	23mm	13mm	AISI304	0,0210
RWL8	8mm	6mm	28mm	16mm	AISI304	0,0410
RWL10	10mm	8mm	34mm	19mm	AISI304	0,0680
RWL13	13mm	10mm	45mm	24mm	AISI304	0,1300
RWL16	16mm	12mm	51mm	29mm	AISI304	0,2100
RWL19	19mm	12mm	63mm	32mm	AISI304	0,2800
RWL22	22mm	14mm	71mm	37mm	AISI304	0,4000
RWL25	25mm	14mm	81mm	41mm	AISI304	0,5500
RWL3/6	3mm	4mm	16mm	9mm	AISI316	0,0140
RWL4/6	4mm	4mm	18.5mm	9mm	AISI316	0,0145
RWL5/6	5mm	5mm	19mm	11mm	AISI316	0,0150
RWL6/6	6mm	5mm	23mm	13mm	AISI316	0,0210



Galv. "SIMPLEX" Pladewirelås


Galv. "SIMPLEX" Wire Rope Clip

Varenr./Article No.	Dim.	D- Dim.	L- Dim.	Kg./Stk./Pc.
GSIM2	2mm	4mm	18.5mm	0,0056
GSIM3	3mm	4mm	20.0mm	0,0081
GSIM4	4mm	5mm	22.5mm	0,0116
GSIM5	5mm	6mm	26.0mm	0,0217
GSIM6	6mm	6mm	30.0mm	0,0316
GSIM8	8mm	8mm	36.0mm	0,0400




Galv. "DUPLEX" Pladewirelås

Galv. "DUPLEX" Wire Rope Clip



Varenr./Article No.	Dim.	D- Dim.	L- Dim.	Kg./Stk./Pc.
GDUPL2	2mm	4mm	37mm	0,0105
GDUPL3	3mm	4mm	40mm	0,0158
GDUPL4	4mm	5mm	45mm	0,0241
GDUPL5	5mm	6mm	52mm	0,0400
GDUPL6	6mm	6mm	60mm	0,0600
GDUPL8	8mm	8mm	72mm	0,0800



Galv. "DUPLEX SPECIAL" Pladewirelås


Galv. "DUPLEX SPECIAL" Wire Rope Clip

Varenr./Article No.	Dim.	L- Dim.	D- Dim.	Kg./Stk./Pc.
GDUPLS3	3mm	39mm	3.7mm	0.0150
GDUPLS4	4mm	44mm	5.0mm	0.0250
GDUPLS5	5mm	51mm	5.7mm	0.0363
GDUPLS6	6mm	60mm	6.0mm	0.0520
GDUPLS8	8mm	69mm	7.6mm	0.0800





Rustfri, AISI 304 "DUPLEX" Pladewirelås
S.S., AISI 304 "DUPLEX" Wire Rope Clip

Varenr./Article No.	Dim.	D- Dim.	L- Dim.	Kg./Stk./Pc
RDUPL2	2mm	4mm	37mm	0,0105
RDUPL3	3mm	4mm	40mm	0,0158
RDUPL4	4mm	5mm	45mm	0,0241
RDUPL5	5mm	6mm	52mm	0,0400
RDUPL6	6mm	6mm	60mm	0,0600
RDUPL8	8mm	8mm	72mm	0,0820



Rustfri, AISI 304 "DUPLEX SPECIAL" Pladewirelås
S.S., AISI 304 "DUPLEX SPECIAL" Wire Rope Clip


Varenr./Article No.	Dim.	L- Dim.	D- Dim.	Kg./Stk./Pc
RDUPLS3	3mm	39mm	3.7mm	0.0150
RDUPLS4	4mm	44mm	5.0mm	0.0250
RDUPLS5	5mm	51mm	5.7mm	0.0363
RDUPLS6	6mm	60mm	6.0mm	0.0520
RDUPLS8	8mm	69mm	7.6mm	0.0800



Varmgalv. "ML" Wirelås
Hot Dip Galv. "ML" Wire Rope Clip

Varenr./Article No.	Dim.	A- Dim.	B- Dim.	C- Dim.	M- Dim.	Kg./Stk./Pc
DEKA6	6mm	17mm	5mm	6mm	6mm	0,100
DEKA8	8mm	20mm	7mm	8mm	6mm	0,150
DEKA10	10mm	20mm	9mm	10mm	8mm	0,190
DEKA12	12mm	25mm	10mm	14mm	10mm	0,340
DEKA16	16mm	30mm	14mm	18mm	12mm	0,570
DEKA20	20mm	34mm	17mm	20mm	14mm	0,800
DEKA25	25mm	43mm	20mm	25mm	16mm	1,350






Galv. Karabinhage, DIN 5299, Form C

Galv. Snap Hook, DIN 5299, Form C


Varenr./Article No.	Dim.	L- Dim.	C- Dim.	Bund Ø	Buttom Dia.	Kg./Stk./Pc.	WLL
GK4	4x40mm	40mm	7mm	6mm	6mm	0,0090	70kg.
GK5	5x50mm	50mm	7mm	8mm	8mm	0,0167	100kg.
GK6	6x60mm	60mm	8mm	9mm	9mm	0,0295	120kg.
GK7	7x70mm	70mm	8mm	11mm	11mm	0,0480	180kg.
GK8	8x80mm	80mm	9mm	12mm	12mm	0,0695	230kg.
GK9	9x90mm	90mm	10mm	13mm	13mm	0,0967	250kg.
GK10	10x100mm	100mm	11mm	15mm	15mm	0,1335	350kg.
GK11	11x120mm	120mm	16mm	18mm	18mm	0,2000	400kg.
GK12	12x140mm	140mm	19mm	20mm	20mm	0,2667	450kg.
GK13	13x160mm	160mm	25mm	22mm	22mm	0,3800	580kg.



Galv. Karabinhage, DIN 5299, Form C m/Rundkovs

Galv. Snap Hook, DIN 5299, Form C w/Eye Let


Varenr./Article No.	Dim.	L- Dim.	C- Dim.	Rund kovs Ø	Eye Let Dia.	Kg./Stk./Pc.	WLL
GKØ4	4x40mm	40mm	7mm	5mm	5mm	0,0090	70kg.
GKØ5	5x50mm	50mm	7mm	6mm	6mm	0,0167	100kg.
GKØ6	6x60mm	60mm	8mm	6mm	6mm	0,0295	120kg.
GKØ7	7x70mm	70mm	8mm	7mm	7mm	0,0480	180kg.
GKØ8	8x80mm	80mm	9mm	9mm	9mm	0,0695	230kg.
GKØ9	9x90mm	90mm	10mm	10mm	10mm	0,0967	250kg.
GKØ10	10x100mm	100mm	11mm	11mm	11mm	0,1335	350kg.
GKØ11	11x120mm	120mm	16mm	15mm	15mm	0,2000	400kg.
GKØ12	12x140mm	140mm	19mm	16mm	16mm	0,2667	450kg.
GKØ13	13x160mm	160mm	25mm	18mm	18mm	0,3800	580kg.



Galv. Karabinhage, DIN 5299, Form C m/lås

Galv. Snap Hook, DIN 5299, Form C w/Safety Screw


Varenr./Article No.	Dim.	C- Dim.	L- Dim.	Bund Ø	Buttom Dia.	Kg./Stk./Pc.	WLL
GKL5	5x50mm	7mm	50mm	8mm	8mm	0.0180	100kg.
GKL6	6x60mm	8mm	60mm	9mm	9mm	0.0290	120kg.
GKL8	8x80mm	9mm	80mm	12mm	12mm	0.0690	230kg.
GKL10	10x100mm	11mm	100mm	15mm	15mm	0.1470	350kg.
GKL11	11 x 120mm	16mm	120mm	18mm	18mm	0.2000	400kg.
GKL12	12 x 140mm	19mm	140mm	20mm	20mm	0.2667	450kg.
GKL13	13 x 160mm	25mm	160mm	22mm	22mm	0.3800	580kg.



Syrefast, AISI 316 Karabinhage, DIN 5299, Form C

S.S., AISI 316 Snap Hook, DIN 5299, Form C

Varenr./Article No.	Dim.	L- Dim.	C- Dim.	Bund Ø	Buttom Dia.	Kg./Stk./Pc.	WLL
RK4	4x40mm	40mm	7mm	6mm	6mm	0.0110	70kg.
RK5	5x50mm	50mm	7mm	8mm	8mm	0.0190	100kg.
RK6	6x60mm	60mm	8mm	9mm	9mm	0.0270	120kg.
RK7	7x70mm	70mm	8mm	11mm	11mm	0.0440	180kg.
RK8	8x80mm	80mm	9mm	12mm	12mm	0.0650	230kg.
RK9	9x90mm	90mm	10mm	13mm	13mm	0.0960	275kg.
RK10	10x100mm	100mm	11mm	15mm	15mm	0.1270	350kg.
RK11	11x120mm	120mm	16mm	18mm	18mm	0.1800	450kg.
RK12	12x140mm	140mm	19mm	20mm	20mm	0.2600	510kg.
RK13	13x160mm	160mm	25mm	22mm	22mm	0.3500	600kg.




Syrefast Karabinhage, DIN 5299 Form C m/rundkovs
S.S., AISI 316 Snap Hook, DIN 5299 Form C W/Eye Let


Varenr./Article No.	Dim.	L- Dim.	C- Dim.	Rund kovs Ø	Eye Let Dia.	Kg./Stk./Pc.	WLL
RKØ4	4x40mm	40mm	7mm	5mm	5mm	0.0110	70kg.
RKØ5	5x50mm	50mm	7mm	6mm	6mm	0.0190	100kg.
RKØ6	6x60mm	60mm	8mm	6mm	6mm	0.0270	120kg.
RKØ7	7x70mm	70mm	8mm	7mm	7mm	0.0440	180kg.
RKØ8	8x80mm	80mm	9mm	9mm	9mm	0.0650	230kg.
RKØ9	9x90mm	90mm	10mm	10mm	10mm	0.0960	275kg.
RKØ10	10x100mm	100mm	11mm	11mm	11mm	0.1270	350kg.
RKØ11	11x120mm	120mm	16mm	15mm	15mm	0.1800	450kg.
RKØ12	12x140mm	140mm	19mm	16mm	16mm	0.2600	510kg.
RKØ13	13x160mm	160mm	25mm	18mm	18mm	0.3500	600kg.



Syrefast, AISI 316 Karabinhage, DIN 5299, Form C m/lås
S.S., AISI 316 Snap Hook, DIN 5299, Form C w/Safety Screw



Varenr./Article No.	Dim.	C- Dim.	L- Dim.	Bund Ø	Buttom Dia.	Kg./Stk./Pc.	WLL
RKLA5	5x50mm	7mm	50mm	8mm	8mm	0.0180	100kg.
RKLA6	6x60mm	8mm	60mm	9mm	9mm	0.0290	120kg.
RKLA7	7x70mm	8mm	70mm	11mm	11mm	0.0600	180kg.
RKLA8	8x80mm	9mm	80mm	12mm	12mm	0.0690	230kg.
RKLA10	10x100mm	11mm	100mm	15mm	15mm	0.1470	275kg.



Galv. & Syrefast AISI316 P-Led
Galv. & AISI316 Quick Link




Varenr./Article No.	Dim.	A- Dim.	B- Dim.	L- Dim.	Åbning Opening	Kg./Stk./Pc.	WLL
GQ3	3.5mm	17mm	11.5mm	36mm	5.0mm	0.0120	50kg.
GQ4	4.0mm	19mm	12.5mm	39mm	5.5mm	0.0117	180kg.
GQ5	5.0mm	23mm	15.0mm	48mm	6.5mm	0.0220	280kg.
GQ6	6.0mm	26mm	19.0mm	57mm	7.5mm	0.0360	400kg.
GQ7	7.0mm	30mm	21.0mm	66mm	8.0mm	0.0530	550kg.
GQ8	8.0mm	34mm	23.0mm	76mm	10.0mm	0.0780	700kg.
GQ10	10.0mm	40mm	29.0mm	89mm	12.0mm	0.1380	1100kg.
GQ12	12.0mm	49mm	32.0mm	107mm	15.0mm	0.2050	1500kg.
GQ14	14.0mm	54mm	39.0mm	121mm	17.0mm	0.3545	2200kg.
GQ16	16.0mm	61mm	43.0mm	140mm	20.0mm	0.5335	2900kg.

Varenr./Article No.	Dim.	A- Dim.	B- Dim.	L- Dim.	Åbning Opening	Kg./Stk./Pc.	WLL
RQ3	3.5mm	17mm	11.5mm	36mm	5.0mm	0.0120	75kg.
RQ4	4.0mm	19mm	12.5mm	39mm	5.5mm	0.0117	100kg.
RQ5	5.0mm	23mm	15.0mm	48mm	6.5mm	0.0220	340kg.
RQ6	6.0mm	26mm	19.0mm	57mm	7.5mm	0.0360	500kg.
RQ7	7.0mm	30mm	21.0mm	66mm	8.0mm	0.0530	750kg.
RQ8	8.0mm	34mm	23.0mm	76mm	10.0mm	0.0780	1000kg.
RQ10	10.0mm	40mm	29.0mm	89mm	12.0mm	0.1380	1500kg.
RQ12	12.0mm	49mm	32.0mm	107mm	15.0mm	0.2050	2000kg.




Galv. Nødled
Galv. Repair Link



Varenr./Article No.	Dim.	b- Dim.	d- Dim.	h- Dim.	Kg./Stk./Pc.
GNØD3	3mm	6.5mm	3mm	16.5mm	0,0040
GNØD4	4mm	8.0mm	4mm	20.0mm	0,0080
GNØD5	5mm	9.5mm	5mm	23.0mm	0,0120
GNØD6	6mm	10.5mm	6mm	29.0mm	0,0210
GNØD8	8mm	15.0mm	8mm	37.0mm	0,0560
GNØD10	10mm	17.0mm	10mm	37.5mm	0,0950
GNØD12	12mm	19.0mm	12mm	39.0mm	0,1100



Galv. Kavs, Form B, DIN 6899
Galv. Thimble, Form B, DIN 6899




Varenr./Article No.	Dim.	B- Dim.	D- Dim.	H- Dim.	Kg./Stk./Pc.
GKOV3	3mm	3mm	12mm	19mm	0,0060
GKOV4	4mm	4mm	13mm	21mm	0,0090
GKOV5	5mm	5mm	14mm	23mm	0,0140
GKOV6	6mm	6mm	16mm	25mm	0,0205
GKOV8	8mm	8mm	20mm	32mm	0,0420
GKOV10	10mm	10mm	24mm	38mm	0,0600
GKOV12	12mm	12mm	28mm	45mm	0,0880
GKOV14	14mm	14mm	32mm	51mm	0,1233
GKOV16	16mm	16mm	36mm	58mm	0,1800
GKOV18	18mm	18mm	40mm	64mm	0,2285
GKOV20	20mm	20mm	45mm	72mm	0,3500
GKOV22	22mm	22mm	50mm	80mm	0,4200
GKOV24	24mm	24mm	56mm	90mm	0,6835
GKOV26	26mm	26mm	62mm	99mm	0,7400
GKOV28	28mm	28mm	70mm	112mm	1,0000
GKOV30	30mm	30mm	75mm	120mm	1,2510
GKOV32	32mm	32mm	80mm	128mm	1,5600



Rustfri, AISI 304 Kavs, DIN 6899, Form B
S.S. Thimble, AISI 304, DIN 6899, Form B

Varenr./Article No.	Dim.	B- Dim.	D- Dim.	H- Dim.	Kg./Stk./Pc.
RKOV3	3mm	3mm	12mm	19mm	0,0060
RKOV4	4mm	4mm	13mm	21mm	0,0090
RKOV5	5mm	5mm	14mm	23mm	0,0140
RKOV6	6mm	6mm	16mm	25mm	0,0205
RKOV7	7mm	7mm	18mm	28mm	0,0313
RKOV8	8mm	8mm	20mm	32mm	0,0420
RKOV10	10mm	10mm	24mm	38mm	0,0600
RKOV12	12mm	12mm	28mm	45mm	0,0880
RKOV14	14mm	14mm	32mm	51mm	0,1233
RKOV16	16mm	16mm	36mm	58mm	0,1800
RKOV18	18mm	18mm	40mm	64mm	0,2285
RKOV20	20mm	20mm	45mm	72mm	0,3500




Elektro galv. S-kroge
Electro galv. S-Hooks



Varenr./Article No.	Dim.	A- Dim.	D- Dim.	Åbning	Opening	Kg./Stk./Pc.	WLL
GS3	3mm	30mm	3mm	5mm	5mm	0,0030	7kg.
GS4	4mm	40mm	4mm	6mm	6mm	0,0080	19kg.
GS5	5mm	50mm	5mm	8mm	8mm	0,0130	35kg.
GS6	6mm	60mm	6mm	9mm	9mm	0,0240	52kg.
GS7	7mm	70mm	7mm	10mm	10mm	0,0430	80kg.
GS8	8mm	80mm	8mm	11mm	11mm	0,0690	130kg.
GS10	10mm	100mm	10mm	12mm	12mm	0,0830	150kg.



Rustfri, AISI 304 S-krog
S.S., AISI 304 S-Hook



Varenr./Article No.	Dim.	A- Dim.	D- Dim.	Åbning	Opening	Kg./Stk./Pc.	WLL
RS3	3mm	30mm	3mm	5mm	5mm	0,0030	5kg.
RS4	4mm	40mm	4mm	6mm	6mm	0,0080	15kg.
RS5	5mm	50mm	5mm	8mm	8mm	0,0130	30kg.
RS6	6mm	60mm	6mm	9mm	9mm	0,0240	50kg.
RS8	8mm	80mm	8mm	11mm	11mm	0,0690	65kg.

Sortimenter Assortments



Galv. Ring- & Fjedersplit sortiment
Galv. Linch- & Spring Pin Assortment
Varenr./Article No.: SPLITSORTIMENT126




Galv. Gummiklemme sortiment
Galv. Rubber Clamp Assortment
Varenr./Article No.: GGSORTIMENT



Aluminium wirelås sortiment
Aluminium Ferrule Assortment
Varenr./Article No.: ALUSORTIMENT1200




Galv. Øreklemme sortiment
Galv. Ear Clamp Assortment
Varenr./Article No.: ØRESORTIMENT





Galv. Taljeblok m/enkelt Nylonhjul
Galv. Pulley Block w/single Nylon Wheel

Varenr./Article No.	Dim.	d- Dim.	L- Dim.	Hjul/ Wheel	Kg./Stk./Pc.	WLL
GBE15	15mm	10mm	50mm	5mm	0,0240	150kg.
GBE20	20mm	11mm	60mm	6mm	0,0410	200kg.
GBE25	25mm	12mm	70mm	7mm	0,0560	230kg.
GBE30	30mm	13mm	80mm	8mm	0,0830	250kg.
GBE40	40mm	14mm	93mm	9mm	0,1270	300kg.
GBE50	50mm	16mm	115mm	12mm	0,1970	390kg.
GBE65	65mm	20mm	135mm	16mm	0,3550	450kg.



Galv. Taljeblok m/dobbelt Nylonhjul
Galv. Pulley Block w/double Nylon Wheel


Varenr./Article No.	Dim.	L- Dim.	d- Dim.	Hjul/ Wheel	Kg./Stk./Pc.	WLL
GBD25	25mm	70mm	12mm	7mm	0,089	230kg.
GBD30	30mm	80mm	13mm	8mm	0,132	250kg.
GBD40	40mm	93mm	14mm	9mm	0,272	300kg.
GBD50	50mm	115mm	16mm	12mm	0,412	390kg.



Galv. & rustfri AISI304 Fjedersplit, Type "L"

Galv. and AISI304 Spring Pin, Type "L"

Varenr./Article No.	Dim.(d)	A- Dim.	B- Dim.	C- Dim.	DI- Dim	Kg./Stk./Pc.
L20	2.0x41mm	13mm	16mm	5mm	9.0mm	0,002210
L30	3.0x67mm	25mm	27mm	3mm	13.0mm	0,008020
L35	3.5x75mm	25mm	31mm	5mm	17.5mm	0,001220
L40	4.0x75mm	25mm	38mm	2mm	19.0mm	0,001621
L50	5.0x105mm	33mm	48mm	9mm	26.0mm	0,003453
L60	6.0x117mm	43mm	49mm	9mm	31.0mm	0,058013
RL20	2.0x41mm	13mm	16mm	5mm	9.0mm	0,002210
RL30	3.0x67mm	25mm	27mm	3mm	13.0mm	0,008020
RL35	3.5x75mm	25mm	31mm	5mm	17.5mm	0,001220
RL40	4.0x75mm	25mm	38mm	2mm	19.0mm	0,001621
RL50	5.0x105mm	33mm	48mm	9mm	26.0mm	0,003453
RL60	6.0x117mm	43mm	49mm	9mm	31.0mm	0,058013




Galv. Fjedersplit, Type "B"

Galv. Spring Pin, Type "B"



Varenr./Article No.	Dim.(d)	A- Dim.	B- Dim.	C- Dim.	DI- Dim	Kg./Stk./Pc.
B20	2.0x43mm	17mm	16mm	4mm	10mm	0,002320
B25	2.5x45mm	15mm	17mm	5mm	10mm	0,002590
B30	3.0x54mm	18mm	22mm	3mm	13mm	0,006260
B35	3.5x67mm	21mm	27mm	8mm	17mm	0,001072
B40	4.0x75mm	26mm	31mm	4mm	19mm	0,001656
B50	5.0x107mm	33mm	44mm	9mm	27mm	0,003549
B60	6.0x117mm	42mm	52mm	5mm	31mm	0,005586

Galvaniseret Ringsplit
Galvanized Linch Pin




Varenr./Article No.	D- Dim.	B- Dim.	L- Dim.	Kg./Stk./Pc
RING45	4.5/40mm	33.5mm	40mm	0.01900
RING60/32	6.0/32mm	29.0mm	32mm	0.01847
RING60/40	6.0/40mm	33.5mm	40mm	0.02380
RING80	8.0/40mm	33.0mm	40mm	0.02990
RING10	10.0/40mm	34.5mm	40mm	0.04270




Galvaniseret Rørsplit
Galvanized Pipe Pin

Varenr./Article No.	D- Dim.	Ø- Dim.	L- Dim.	Kg./Stk./Pc
RØR45/32	4.5mm	28mm	32mm	0.01960
RØR60/32	6.0mm	28mm	32mm	0.02270
RØR45/40	4.5mm	36mm	40mm	0.02190
RØR60/40	6.0mm	36mm	40mm	0.02600
RØR80/40	8.0mm	36mm	40mm	0.03390
RØR10/40	10.0mm	36mm	40mm	0.04850
RØR60/45	6.0mm	40mm	45mm	0.02690
RØR80/45	8.0mm	40mm	45mm	0.03590
RØR60/50	6.0mm	45mm	50mm	0.03460
RØR80/50	8.0mm	45mm	50mm	0.04400
RØR10/50	10.0mm	45mm	50mm	0.06050
RØR80/60	8.0mm	55mm	60mm	0.05010
RØR10/60	10.0mm	55mm	60mm	0.06830




Galv. Sikkerhedssplitter
Galv. Safety Splits



Varenr./Article No.	d- Dim.	A- Dim.	B- Dim.	D-Dim.	C-Dim.	Kg./Stk./Pc.
SIKSPLIT2x70	2mm	70mm	60mm	8mm	16mm	0.006
SIKSPLIT2x122	2mm	122mm	112mm	8mm	19mm	0.008
SIKSPLIT3x98	3mm	98mm	82mm	10mm	20mm	0.017
SIKSPLIT4x102	4mm	102mm	92mm	14mm	21mm	0.033
SIKSPLIT4x132	4mm	132mm	117mm	14mm	21mm	0.038
SIKSPLIT5x152	5mm	152mm	132mm	16mm	22mm	0.067
SIKSPLIT5x180	5mm	180mm	160mm	16mm	36mm	0.087
SIKSPLIT5x210	5mm	210mm	185mm	16mm	47mm	0.104
SIKSPLIT6x190	6mm	190mm	170mm	22mm	38mm	0.137
SIKSPLIT6x270	6mm	270mm	230mm	22mm	70mm	0.206






Galv. Øjebolt, DIN 580

Galv. Eye Bolt, DIN 580


Varenr./Article No.	Dim.	D- Dim.	H- Dim.	Ø- Dim.	Gevind L. Thread L.	Kg./Stk./Pc.	WLL
GØ6	6mm	36mm	36mm	20mm	13mm	0,0580	70kg.
GØ8	8mm	36mm	36mm	20mm	13mm	0,0600	140kg.
GØ10	10mm	45mm	45mm	25mm	17mm	0,1050	230kg.
GØ12	12mm	54mm	53mm	30mm	20mm	0,1920	340kg.
GØ14	14mm	63mm	62mm	35mm	24mm	0,2860	600kg.
GØ16	16mm	63mm	62mm	35mm	27mm	0,3133	700kg.
GØ20	20mm	72mm	71mm	40mm	30mm	0,4500	1200kg.
GØ24	24mm	90mm	90mm	50mm	36mm	0,7200	1800kg.



Galv. Øjemøtrik, DIN 582

Galv. Eye Nut, DIN 582

Varenr./Article No.	Dim.	D- Dim.	H- Dim.	Ø- Dim.	Kg./Stk./Pc.	WLL
GØM6	6mm	36mm	36mm	20mm	0,0480	70kg.
GØM8	8mm	36mm	36mm	20mm	0,0500	140kg.
GØM10	10mm	45mm	45mm	25mm	0,0900	230kg.
GØM12	12mm	54mm	53mm	30mm	0,1640	340kg.
GØM14	14mm	63mm	62mm	35mm	0,2860	600kg.
GØM16	16mm	63mm	62mm	35mm	0,2400	700kg.
GØM20	20mm	72mm	71mm	40mm	0,3700	1200kg.
GØM24	24mm	90mm	90mm	50mm	0,7200	1800kg.




Syrefast, AISI 316 Øjebolt og Øjemøtrik DIN 580 & 582

S.S., AISI 316 Eye Bolt and Eye Nut DIN 580 & 582



Varenr./Article No.	Dim.	D- Dim.	H- Dim.	Ø- Dim.	Kg./Stk./Pc.	WLL
RØ6	6mm	36mm	36mm	20mm	0,0580	70kg.
RØ8	8mm	36mm	36mm	20mm	0,0600	140kg.
RØ10	10mm	45mm	45mm	25mm	0,1050	230kg.
RØ12	12mm	54mm	53mm	30mm	0,1920	340kg.
RØ14	14mm	63mm	62mm	35mm	0,2860	600kg.
RØ16	16mm	63mm	62mm	35mm	0,3133	700kg.
RØ20	20mm	72mm	71mm	40mm	0,4500	1200kg.
RØ24	24mm	90mm	90mm	50mm	0,7200	1800kg.




Varenr./Article No.	Dim.	D- Dim.	H- Dim.	Ø- Dim.	Kg./Stk./Pc.	WLL
RØM6	6mm	36mm	36mm	20mm	0,0480	70kg.
RØM8	8mm	36mm	36mm	20mm	0,0500	140kg.
RØM10	10mm	45mm	45mm	25mm	0,0900	230kg.
RØM12	12mm	54mm	53mm	30mm	0,1640	340kg.
RØM14	14mm	63mm	62mm	35mm	0,2860	600kg.
RØM16	16mm	63mm	62mm	35mm	0,2400	700kg.
RØM20	20mm	72mm	71mm	40mm	0,3700	1200kg.
RØM24	24mm	90mm	90mm	50mm	0,7200	1800kg.




Syrefast, AISI 316 Lang Øjebolt

S.S., AISI 316 Long Shaft Eye Bolt



Varenr./Article No.	Dim.	a- Dim.	b- Dim.	c- Dim.	d- Dim.	Kg./Stk./Pc.	WLL
RØL6/40	6x40mm	40mm	34mm	5mm	12mm	0.028	-
RØL6/60	6x60mm	60mm	54mm	5mm	12mm	0.030	-
RØL6/80	6x80mm	80mm	70mm	5mm	12mm	0.050	-
RØL8/80	8x80mm	80mm	70mm	6mm	14mm	0.090	-
RØL8/100	8x100mm	100mm	90mm	6mm	14mm	0.098	-
RØL10/100	10x100mm	100mm	88mm	8mm	16mm	0.122	-
RØL12/120	12x120mm	120mm	105mm	10mm	18mm	0.224	-




Syrefast, AISI 316 Øjeterminal
S.S., AISI 316 Eye Terminal




Varenr./Article No.	Dim.	A- Dim.	Ø- Dim.	L- Dim.	L1- Dim	Kg./Stk./Pc.
RØT3	3mm	13mm	6.5mm	57.5mm	36mm	0,012
RØT4	4mm	18mm	8.0mm	65.0mm	39mm	0,023
RØT5	5mm	22mm	10.0mm	80.0mm	50mm	0,036
RØT6	6mm	28mm	12.5mm	94.0mm	62mm	0,088



Syrefast, AISI 316 Gaffelterminal
S.S., AISI 316 Fork Terminal




Varenr./Article No.	Dim.	A- Dim.	D- Dim.	L- Dim.	L1- Dim	Kg./Stk./Pc.
RGT3	3mm	7.5mm	5.2mm	65mm	32mm	0.025
RGT4	4mm	10.0mm	6.2mm	77mm	40mm	0.030
RGT5	5mm	12.0mm	8.7mm	88mm	57mm	0.055
RGT6	6mm	14.0mm	9.7mm	106mm	63mm	0.140



Syrefast, AISI 316 Gevindterminal
S.S., AISI 316 Swage Stud




Varenr./Article No.	Dim.	L- Dim.	L1- Dim	L2- Dim	M- Dim.	Kg./Stk./Pc.
RGVT3	3mm	80mm	40mm	32mm	6mm	0.022
RGVT4	4mm	102mm	52mm	40mm	8mm	0.026
RGVT5	5mm	130mm	63mm	57mm	10mm	0.048
RGVT6	6mm	142mm	68mm	63mm	12mm	0.087



Syrefast, AISI 316 Svirvel, Øje/Øje
S.S., AISI 316 Swivel, Eye/Eye




Varenr./Article No.	Dim.	D- Dim.	L- Dim.	Øje Dim.	Eye Dim.	Kg./Stk./Pc.	WLL
RSWRØØ6	6mm	6mm	65mm	15x15mm	15x15mm	0,064	1100kg.
RSWRØØ8	8mm	8mm	90mm	20x22mm	20x22mm	0,125	2000kg.
RSWRØØ10	10mm	10mm	115mm	24x28mm	24x28mm	0,252	3500kg.



Syrefast, AISI 316 Svirvel, Øje/Gaffel
S.S., AISI 316 Swivel, Eye/Jaw




Varenr./Article No.	Dim.	d- Dim.	L- Dim.	Dim. Øje/ Eye	Dim. Gaf- fel/Jaw	Kg./Stk./Pc.	WLL
RSWRØG6	6mm	6mm	66mm	15x15mm	12x14mm	0,044	1100kg.
RSWRØG8	8mm	8mm	94mm	20x22mm	17x18mm	0,165	2000kg.
RSWRØG10	10mm	10mm	118mm	24x28mm	23x22mm	0,330	3500kg.



Syrefast, AISI 316 Svirvel, Gaffel/Gaffel
S.S., AISI 316 Swivel, Jaw/Jaw



Varenr./Article No.	Dim.	d- Dim.	L- Dim.	Dim. Gaffel	Dim. Jaw	Kg./Stk./Pc.	WLL
RSWRGG6	6mm	6mm	66mm	12x14mm	12x14mm	0,044	1100kg.
RSWRGG8	8mm	8mm	94mm	17x18mm	17x18mm	0,165	2000kg.
RSWRGG10	10mm	10mm	118mm	23x22mm	23x22mm	0,330	3500kg.




Syrefast, AISI 316 Fokkehage m/fast Øje
S.S., AISI 316 Fixed Snap Shackle




Varenr./Article No.	Dim.	A- Dim.	B- Dim.	L- Dim.	Kg./Stk./Pc.	WLL
RSWIRB12	12mm	12mm	9mm	52mm	0.042	450kg.
RSWIRB16	16mm	16mm	12mm	66mm	0.090	700kg.
RSWIRB22	22mm	22mm	16mm	96mm	0.235	950kg.



Syrefast, AISI 316 Fokkehage m/svirvel
S.S., AISI 316 Swivel Snap Shackle




Varenr./Article No.	Dim.	A- Dim.	B- Dim.	L- Dim.	Kg./Stk./Pc.	WLL
RSWIR12	12mm	12mm	12mm	70mm	0.060	450kg.
RSWIR16	16mm	16mm	16mm	87mm	0.125	700kg.
RSWIR22	22mm	22mm	22mm	120mm	0.315	950kg.



Syrefast, AISI 316 Fokkehage m/bolt
S.S., AISI 316 Fixed Snap Shackle w/bolt



Varenr./Article No.	Dim.	A- Dim.	D- Dim.	Længde/ Length	Kg./Stk./Pc.	WLL
RSNAP12	12mm	12mm	6mm	52mm	0.042	450kg.
RSNAP16	16mm	16mm	8mm	66mm	0.090	700kg.
RSNAP22	22mm	22mm	10mm	96mm	0.235	950kg.

A photograph showing two RADAFLEX TWIN cables. One cable has a red outer jacket and the other has a black outer jacket. Both have two copper conductors visible at the end.

RADAFLEX TWIN – Tvilling Start-/Ladekabel – UV-beständig yderkappe

RADAFLEX TWIN – Twin Battery Cable – UV resistant Outer Insulation

Varenr./Article No.	Dim.	Farve	Colour	Kobber Copper	Diam.	Kg./M./Mtr	Oplægn./ Length
RAT4	2 x 4mm ²	Rød/sort	Red/black	114x0.2mm	6.0x13mm	0.120	50m.
RAT6	2 x 6mm ²	Rød/sort	Red/black	166x0.2mm	6.6x14mm	0.160	50m.
RAT10	2 x 10mm ²	Rød/sort	Red/black	296x0.2mm	8.0x17mm	0.260	50m.
RAT16	2 x 16mm ²	Rød/sort	Red/black	462x0.2mm	9.0x19mm	0.390	50m.
RAT25	2 x 25mm ²	Rød/sort	Red/black	722x0.2mm	11.0x23mm	0.580	50m.
RAT35	2 x 35mm ²	Rød/sort	Red/black	1026x0.2mm	12.5x26mm	0.790	50m.
RAT50	2 x 50mm ²	Rød/sort	Red/black	1482x0.2mm	14.5x30mm	1.100	50m.

A photograph showing two H07V-K RADAFLEX cables. One cable has an orange outer jacket and the other has a black outer jacket. Both have multiple copper conductors visible at the end.

H07V-K RADAFLEX dobbeltisoleret Svejse- & Ladekabel

H07V-K RADAFLEX Double insulated Welding- & Battery Cable

Varenr./Article No.	Dim.	Farve/ Colour	Kobber Copper	Isol.	Diam.	Kg./Mtr./M	Oplægn./ Length
RF10S500/500	10mm ²	Sort – Black	318 x 0.20mm	2.0mm	7.6mm	0.160	50m.
RF16S50/50	16mm ²	Sort – Black	504 x 0.20mm	2.0mm	8.8mm	0.210	50m.
RF16O50/50	16mm ²	Orange	504 x 0.20mm	2.0mm	8.8mm	0.210	50m.
RF25S50/50	25mm ²	Sort – Black	770 x 0.20mm	2.0mm	11.0mm	0.315	50m.
RF25O50/50	25mm ²	Orange	770 x 0.20mm	2.0mm	11.0mm	0.315	50m.
RF35S50/50	35mm ²	Sort – Black	1083 x 0.20mm	2.0mm	12.5mm	0.425	50m.
RF35O50/50	35mm ²	Orange	1083 x 0.20mm	2.0mm	12.5mm	0.425	50m.
RF50S50/50	50mm ²	Sort – Black	1558 x 0.20mm	2.2mm	14.5mm	0.578	50m.
RF50O50/50	50mm ²	Orange	1558 x 0.20mm	2.2mm	14.5mm	0.578	50m.
RF70S400	70mm ²	Sort – Black	2090 x 0.20mm	2.4mm	16.7mm	0.755	50m.
RF70O400	70mm ²	Orange	2090 x 0.20mm	2.4mm	16.7mm	0.755	50m.
RF95S300	95mm ²	Sort - Black	2812 x 0.20mm	2.6mm	18.8mm	1.015	50m.
RF120S250	120mm ²	Sort – Black	3700 x 0.20mm	2.8mm	20.8mm	1.300	50m.



High-Flex Svejse- & Ladekabel
High-Flex Welding- & Battery Cable

Varenr./Article No.	Dim.	Farve Colour	Kobber /Copper	Isolering Insulation	Diam.	Kg./mtr./M	Oplægn./ Length
HF10S50/50	10mm ²	Sort – black	304 x 0.20mm	1.6mm	7.6mm	0.130	50m.
HF10R50/50	10mm ²	Rød – Red	304 x 0.20mm	1.6mm	7.6mm	0.130	50m.
HF16S50/50	16mm ²	Sort – Black	462 x 0.20mm	1.8mm	9.2mm	0.200	50m.
HF16R50/50	16mm ²	Rød – Red	462 x 0.20mm	1.8mm	9.2mm	0.200	50m.
HF25S50/50	25mm ²	Sort – Black	742 x 0.20mm	2.0mm	10.6mm	0.290	50m.
HF25R50/50	25mm ²	Rød – Red	742 x 0.20mm	2.0mm	10.6mm	0.290	50m.
HF35S50/50	35mm ²	Sort – Black	1008 x 0.20mm	2.2mm	12.5mm	0.400	50m.
HF35R50/50	35mm ²	Rød – Red	1008 x 0.20mm	2.2mm	12.5mm	0.400	50m.
HF50S50/50	50mm ²	Sort – Black	1482 x 0.20mm	2.4mm	14.5mm	0.570	50m.
HF50R50/50	50mm ²	Rød – Red	1482 x 0.20mm	2.4mm	14.5mm	0.570	50m.
HF70S400/400	70mm ²	Sort – Black	2090 x 0.20mm	2.6mm	16.6mm	0.760	50m.
HF70R400/400	70mm ²	Rød – Red	2090 x 0.20mm	2.6mm	16.6mm	0.760	50m.
HF95S250/250	95mm ²	Sort – Black	2812 x 0.20mm	2.8mm	19.2mm	1.000	50m.
HF120S250/250	120mm ²	Sort - Black	3700 x 0.20mm	2.8mm	20.8mm	1.300	50m.

Ladekabel sæt
Booster Cable




Komplet sæt m/5mtr. kabel
Complete set w/5mtr. Cable

Batteri lade klemmer
Battery Clamps



Til 25mm², 35mm² & 50mm² kabel
For 25mm², 35mm² & 35mm² cable




NYMHY PVC-Tilhængerkabel
NYMHY Automotive PVC-Multicore Cable

Varenr./Article No.	Dim.	Farve	Colour	Kobber Copper	Isol.	D. MM.	Kg./M.
NYMHY2075	2 x 0.75mm ²	Sort	Black	24x0.20mm	0.8mm	6.2mm	0.040
NYMHY3075	3 x 0.75mm ²	Sort	Black	24x0.20mm	0.8mm	6.7mm	0.064
NYMHY4075	4 x 0.75mm ²	Sort	Black	24x0.20mm	0.8mm	7.4mm	0.070
NYMHY7075	7 x 0.75mm ²	Sort	Black	24x0.20mm	1.0mm	9.2mm	0.123
NYMHY2100	2 x 1.00mm ²	Sort	Black	30x0.20mm	0.8mm	6.5mm	0.064
NYMHY3100	3 x 1.00mm ²	Sort	Black	30x0.20mm	0.8mm	6.8mm	0.070
NYMHY4100	4 x 1.00mm ²	Sort	Black	30x0.20mm	0.8mm	7.6mm	0.080
NYMHY5100	5 x 1.00mm ²	Sort	Black	30x0.20mm	0.9mm	8.6mm	0.102
NYMHY6100	6x1+1x2.5mm ²	Sort	Black	31x0.20mm 48x0x25mm	1.0mm	10.5mm	0.179
NYMHY7100	7 x 1.00mm ²	Sort	Black	30x0.20mm	0.9mm	9.3mm	0.131
NYMHY2150	2 x 1.50mm ²	Sort	Black	28x0.25mm	0.8mm	6.7mm	0.080
NYMHY3150	3 x 1.50mm ²	Sort	Black	28x0.25mm	0.8mm	7.6mm	0.089
NYMHY4150	4 x 1.50mm ²	Sort	Black	28x0.25mm	0.9mm	8.6mm	0.115
NYMHY5150	5 x 1.50mm ²	Sort	Black	28x0.25mm	0.9mm	9.3mm	0.139
NYMHY6150	6x1.5+1x2.5mm ²	Sort	Black	29x0.25mm 48x0.25mm	1.1mm	11.1mm	0.215
NYMHY7150	7 x 1.50mm ²	Sort	Black	28x0.25mm	1.0mm	10.4mm	0.181
NYMHY8150	8x1.5+1x2.5mm ²	Sort	Black	28x0.25mm 48x0.25mm	1.3mm	12.9mm	0.300
NYMHY1050	10 x 1.50mm ²	Sort	Black	28x0.25mm	1.5mm	13.2mm	0.277
NYMHY1250	12 x 1.50mm ²	Sort	Black	28x0.25mm	1.5mm	14.6mm	0.325
NYMHY1025	10x1.5+3x2.5mm ²	Sort	Black	28x0.25mm 48x0.25mm	1.3mm	14.8mm	0.360
NYMHY2250	2 x 2.50mm ²	Sort	Black	48x0.25mm	0.8mm	7.6mm	0.090

Farvekode – Colour Code

1 2.50mm ²	2 2.50mm ²	3 2.50mm ²	4	5	6	7	8	9	10	11	12	13 Transp.
--------------------------	--------------------------	--------------------------	---	---	---	---	---	---	----	----	----	---------------



Højttalerledning
Loudspeaker Cable

Varenr./Article No.	Dim.	Farve	Colour	Kobber Copper	Isol.	D. MM.	Kg./M.
040RS	2 x 0.40mm ²	Rød/Sort	Red/Black	13x0.20mm	0.40mm	1.5x3.7	0.0165
050RS	2 x 0.50mm ²	Rød/Sort	Red/Black	16x0.20mm	0.43mm	1.7x3.9	0.0175
050GRÅ	2 x 0.50mm ²	Grå	Grey	16x0.20mm	0.43mm	1.7x3.9	0.0175
075RS	2 x 0.75mm ²	Rød/Sort	Red/Black	24x0.20mm	0.60mm	2.5x5.0	0.0245
075HVHV	2 x 0.75mm ²	Hvid	White	24x0.20mm	0.60mm	2.5x5.0	0.0245
150RS	2 x 1.50mm ²	Rød/Sort	Red/Black	28x0.25mm	0.70mm	3.0x6.0	0.0430
250RS	2 x 2.50mm ²	Rød/Sort	Red/Black	36x0.30mm	0.75mm	3.6x7.4	0.0660



FLK & FLKK Rund & Oval Kappedledning
FLK & FLKK Round & Oval Dob. Insulated

Varenr./Article No.	Dim.	Farve	Colour	Kobber Copper	Isol.	D. MM.	Kg./M
FLKK150S	2 x 1.50mm ²	Sort	Black	28x0.25mm	0.80mm	4.4x7.2mm	0.06
FLKK250S	2 x 2.50mm ²	Sort	Black	36x0.30mm	0.90mm	5.3x8.8mm	0.09
FLKK400G	2 x 4.00mm ²	Grå	Grey	32x0.40mm	1.15mm	6.6x11mm	0.14



H05V-K & H07V-K Harmoniseret PVC-Monteringsledning

H05V-K & H07V-K Harmonised PVC-Single Core


Varenr./Article No.	Dim.	Kobber Copper	Isol.	Diam.	M./spole/ Reel	Kg./Mtr./M
050+farve/colour	1 x 0.50mm ²	16x0.21mm	0.60mm	2.40mm	100	0.00900
075+farve/colour	1 x 0.75mm ²	24x0.21mm	0.60mm	2.80mm	100	0.01300
100+farve/colour	1 x 1.00mm ²	32 x0.21mm	0.60mm	3.00mm	100	0.01600
150+farve/colour	1.50mm ²	30x0.26mm	0.70mm	3.50mm	100	0.0230
250+farve/colour	2.50mm ²	50x0.26mm	0.80mm	4.20mm	100	0.0350
400+farve/colour	4.00mm ²	56x0.31mm	0.80mm	4.80mm	50	0.0510
600+farve/colour	6.00mm ²	84x0.31mm	0.80mm	6.30mm	50	0.0710
1000+farve/colour	10.00mm ²	80x0.41mm	1.00mm	7.60mm	50m. ring – coil	0.1250
1600+farve/colour	16.00mm ²	126x0.41mm	1.00mm	8.80mm	50m. ring – coil	0.1950
2500+farve/colour	25.00mm ²	196x0.41mm	1.20mm	11.0mm	50m. ring – coil	0.3000
3500+farve/colour	35.00mm ²	276x0.41mm	1.20mm	12.5mm	50m- ring – coil	0.4100
5000+farve/colour	50.00mm ²	396x0.41mm	1.40mm	14.5mm	50m. ring – coil	0.5850



H03VV-F & H03VVH2-F PVC-Plastkappeledning

H03VV-F & H03VVH2-F Harmonised PVC-Cable

Varenr./Article No.	Dim.	Farve	Colour	Kobber Copper	Isol.	D. MM.	Kg./M
H03075S	2 x 0.75mm ²	Sort	Black	23x0.21mm	0.60mm	6.40mm	0.043
H03075H	2 x 0.75mm ²	Hvid	White	23x0.21mm	0.60mm	6.40mm	0.043
H03075G	2 x 0.75mm ²	Grå	Grey	23x0.21mm	0.60mm	6.40mm	0.043
H03375S	3 G 0.75mm ²	Sort	Black	23x0.21mm	0.60mm	6.80mm	0.052
H03375H	3 G 0.75mm ²	Hvid	White	23x0.21mm	0.60mm	6.80mm	0.052
H03375G	3 G 0.75mm ²	Grå	Grey	23x0.21mm	0.60mm	6.80mm	0.052
H03VH75S oval	2 x 0.75mm ²	Sort	Black	23x0.21mm	0.60mm	3.9x6.4	0.032
H03VH75H oval	2 x 0.75mm ²	Hvid	White	23x0.21mm	0.60mm	3.9x6.4	0.032
H03VH75G oval	2 x 0.75mm ²	Grå	Grey	23x0.21mm	0.60mm	3.9x6.4	0.032



H05VV-F PVC-Plastkappeledning

H05VV-F Harmonised PVC-Cable

Varenr./Article No.	Dim.	Farve	Colour	Kobber Copper	Isol.	D. MM.	Kg./M
H05275S	2 x 0.75mm ²	Sort	Black	24x0.21mm	0.60mm	6.80mm	0.058
H05210S	2 x 1.00mm ²	Sort	Black	32x0.21mm	0.60mm	7.20mm	0.067
H05210HV	2 x 1.00mm ²	Hvid	White	32x0.21mm	0.60mm	7.20mm	0.067
H05215S	2 x 1.50mm ²	Sort	Black	30x0.26mm	0.70mm	8.00mm	0.089
H052150HV	2 x 1.50mm ²	Hvid	White	30x0.26mm	0.70mm	8.00mm	0.089
H052250	2 x 2.50mm ²	Sort	Black	50x0.26mm	0.80mm	9.00mm	0.075
H05375S	3 G 0.75mm ²	Sort	Black	24x0.21mm	0.60mm	7.20mm	0.068
H05375G	3 G 0.75mm ²	Grå	Grey	24x0.21mm	0.60mm	7.20mm	0.068
H05375H	3 G 0.75mm ²	Hvid	White	24x0.21mm	0.60mm	7.20mm	0.068
H05310S	3 G 1.00mm ²	Sort	Black	32x0.21mm	0.60mm	7.60mm	0.077
H05315S	3 G 1.50mm ²	Sort	Black	30x0.26mm	0.70mm	8.90mm	0.106
H05325S	3 G 2.50mm ²	Sort	Black	50x0.26mm	0.80mm	10.8mm	0.166
H05475S	4 G 0.75mm ²	Sort	Black	24x0.21mm	0.60mm	8.20mm	0.090
H05415S	4 G 1.50mm ²	Sort	Black	30x0.26mm	0.70mm	10.0mm	0.132
H05425S	4 G 2.50mm ²	Sort	Black	50x0.26mm	0.80mm	11.2mm	0.201
H05515S	5 G 1.50mm ²	Sort	Black	30x0.26mm	0.70mm	11.0mm	0.163
H05525S	5 G 2.50mm ²	Sort	Black	50x0.26mm	0.80mm	12.8mm	0.242

H07RN-F Oliebestandig GummiNeoprenkabel

H07RN-F Oil Resistant RubberNeoprene Cable

Varenr./Article No.	Dim.	Farver	Colour	Kobber Copper	Isol.	D. MM.	Kg./M
GUMN2100	2 x 1.00mm ²	Sort	Black	32x0.21mm	1.30mm	10.50mm	0.115
GUMN2150	2 x 1.50mm ²	Sort	Black	30x0.26mm	1.50mm	11.50mm	0.140
GUMN3100	3 G 1.00mm ²	Sort	Black	32x0.21mm	1.40mm	11.50mm	0.135
GUMN3150	3 G 1.50mm ²	Sort	Black	30x0.26mm	1.60mm	12.50mm	0.170
GUMN3250	3 G 2.50mm ²	Sort	Black	50x0.26mm	1.80mm	14.50mm	0.240
GUMN4150	4 G 1.50mm ²	Sort	Black	30x0.26mm	1.70mm	13.50mm	0.205
GUMN4250	4 G 2.50mm ²	Sort	Black	50x0.26mm	1.90mm	15.50mm	0.290
GUMN5100	5 G 1.00mm ²	Sort	Black	32x0.26mm	1.60mm	13.50mm	0.205
GUMN5150	5 G 1.50mm ²	Sort	Black	30x0.26mm	1.80mm	15.00mm	0.255
GUMN5250	5 G 2.50mm ²	Sort	Black	50x0.26mm	2.00mm	17.00mm	0.360

Bløde Kobberrør i Fix længder, HV 40-60 "Pan Cake" Ring
Soft Copper Tubes in fixed Lengths, HV 40-60 "Pan Cake" Coil

Varenr./Article No.	Dim.	Længde/ Length	Kg./Stk./Pc.	Max. BAR
KRØR5/5000	5mm	5mtr.	0.560	160
KRØR6/5000	6mm	5mtr.	0.700	130
KRØR8/5000	8mm	5mtr.	1.000	95
KRØR10/5000	10mm	5mtr.	1.250	75
KRØR12/5000	12mm	5mtr.	1.550	70
KRØR316/5000	3/16"	5mtr.	0.808	170
KRØR316/25000	3/16"	25mtr.	2.650	170
KRØR316/50000	3/16"	50mtr.	5.300	170
KRØR14/7620	1/4"	7.62mtr.	1.490	120
KRØR38/7620	3/8"	7.62mtr.	2.429	75
KRØR516/7620	5/16"	7.62mtr.	1.830	95



KobberNikkelrør i Fixlængder "Pan Cake" Ring
CuproNickel Tubes in fixed Lengths "Pan Cake" Coil

Varenr./Article No.	Dim.	Længde/ Length	Kg./Stk./Pc.	Max Bar
KNIRØR316/7620	3/16"	7.62mtr.	0.808	160
KNIRØR316/25000	3/16"	25mtr.	2.651	160
KNIRØR6/7620	6mm	7.62mtr.	4.700	130
KNIRØR8/7620	8mm	7.62mtr.	8.000	95

Værktøjer Tools



"ABA" Flex Skruetrækker, 250mm
"ABA" Flex Screw Driver, 250mm
Varenr./Article No.: GABA25



Wiresaks til max. 7mm wire
Wire Cutter for max. 7mm Wire Rope
Varenr./Article No.: SAKS




Øreklemmetang
Pressing Tool for Ear Clips
Varenr./Article No.: ØRETANG



Klemmetang til Taluritwirelåse, max. 3.5mm
Pressing Tool for Ferrules, max. 3.5mm
Varenr./Article No.: TANG35



Klemmetang til Taluritwirelåse fra 1.5-5.0mm
Pressing tool for Ferrules from 1.5-5.0mm
Varenr./Article No.: TANG50




Rustfri O-ring

AISI304 Ring

Varenr./Article No.	Dim. (d)	h	Udv- diam.	Extern diam..	Kg./Stk./Pc.
RRING3/25	3.0mm	25mm	31mm	31mm	0,005
RRING4/25	4.0mm	25mm	31mm	31mm	0,006
RRING5/50	5.0mm	25mm	35mm	35mm	0,015
RRING5/50	5.0mm	50mm	60mm	60mm	0,027
RRING6/30	6.0mm	30mm	42mm	42mm	0,029
RRING6/50	6.0mm	50mm	62mm	62mm	0,040
RRING8/40	8.0mm	40mm	56mm	56mm	0,065
RRING8/60	8.0mm	60mm	76mm	76mm	0,070
RRING10/60	10.0mm	60mm	80mm	80mm	0,140

Rustfri Låse ring

AISI304 Lock Ring



Varenr./Article No.	Dim. (d)	Indv- diam.	Internal diam..	Kg./Stk./Pc.
LÅSERING125x15	1.25mm	15mm	15mm	0,001
LÅSERING15x19	1.50mm	19mm	19mm	0,002
LÅSERING20x22	2.00mm	22mm	22mm	0,003

Salgs- og leveringsbetingelser

Nærværende salgs- og leveringsbetingelser er gældende, medmindre anden gensidig og underskreven aftale foreligger.

Katalog- og brochuremateriale

De i vore katalog- og brochurematerialer samt på vor hjemmeside angivne data skal forstås som vejledende og uden forbindende. Mangfoldiggørelse af vore katalog- og brochurematerialer samt de på vor hjemmeside angivne data må ikke finde sted uden vor skriftlig samtykke.

Priser og kvantiteter

Afgivne tilbud skal forstås fritblivende og er gældende i 30 dage fra tilbudsdato, medmindre anden frist er anført.

Alle tilbud er forbeholdt mellemsalg. Såfremt intet andet er udtrykkeligt anført, forbeholder vi os retten til at foretage afregning med de på leveringstidspunktet gældende priser, afgifter, skatter o.lign., som med hjemmel i dansk lovgivning måttet være blevet iværksat i perioden mellem tilbudsafgivelsen og faktisk levering samt fakturering. Såfremt valutakurs- og råvareprisændringer på leveringstidspunktet udgør mere end 5% i forhold til tilbudte og bekræftede priser, forbeholder vi os retten til at foretage en tilsvarende og prismæssig justering svarende til den valutakurs- og/eller råvareprisændring, som overstiger anførte 5%.

Over- eller underlevering med indtil 10% af bestilte og bekræftede kvanta er kutyme inden for vor branche og kan ikke gøres til genstand for retsligt efterspil; medmindre anden gensidig og underskrevet aftale foreligger.

Levering

Forhold, som ikke er at henhøre til vore kontrol; så som krig, blokade, strejke, lockout, uheld, oversvømmelse, vejrlig, import- eller eksportrestriktioner eller øvrige forhold, som vanskeliggør eller udsætter leverancer, kan ikke gøres til genstand for retsligt efterspil; medmindre anden gensidig og underskreven aftale foreligger.

Leveringsbetingelser

Levering finder sted på lager og for købers regning og risiko med mindre anden aftale foreligger.

Returnering

Varer hjemtaget på kundens foranledning og dermed varer, som ikke udgør en standard lagervare tages ikke retur; med mindre anden og gensidigt underskreven aftale herom foreligger. Dette gælder ligeledes varer, som på kundens foranledning, har undergået en ændring forskellig fra standard. Returnering af standard lagervarer kan kun finde sted i.h.t. aftale og forudsætter franko returnering i ubrudt og ubeskadiget stand. Returnering af varer i.h.t. aftale pålignes et returneringsgebyr på 10% af fakturapålydende, dog minimum Dkk 100,00.

Betaling

Med mindre anden aftale foreligger, udgør vore betalingsbetingelser 20 dage netto. I.h.t. en på køber indhentet kreditoplysning forbeholder vi os ret til at fremsende bestilte varer pr. efterkrav. Overskridelse af den på vor faktura anførte betalingsdato debiteres 2,0% rente pr. påbegyndt måned. Vi er berettiget til at tilbageholde yderligere leverancer, såfremt køber ikke overholder sine forpligtelser. Såfremt varer, der i.h.t. skriftlig aftale, ikke rettidigt afkaldes eller aftages, forbeholder vi os ret til efter vort valg af lade varer(ne) sælge for købers regning forud for en 8 dages avis til køber. De dermed for sælger forbundne omkostninger og risici pålignes køber.

Ansvar og mangler

Enhver form for reklamation med angivelse af mangel skal meddeles sælger senest 8 dage efter modtagelse af varen. Uden forudgående og gensidig skriftlig aftale, ydes der ingen erstatning. Der ydes ingen erstatning for udgifter afholdt af køber i forbindelse med konstatering af mangelfuld leverance. Fejlliverancer bedes returneret sælger. Vi påtager os intet ansvar for tab forårsaget af manglen/manglerne; herunder driftstab, tabt fortjeneste og andet direkte eller indirekte tab.

Produktansvar

I.h.t. Dansk lovgivning

Værneting

Enhver uløselig tvist, som ikke kan løses i mindelighed skal prøves ved byretten i Roskilde.

General sales and delivery terms

Return goods will only be accepted against previous agreement and min. 10% return charges will be deducted. Specially manufactured goods cannot be returned.

Prices:

Invoicing will take place at the prices valid on the date of delivery. In case of changes regarding settlements of wages, raw materials and/or exchange rates, customs rates, freight, insurance premiums etc., entailing increases of our manufacturing prices, we reserve the right to similar changes of the prices stated. This also applies in case of successive deliveries, provided during the delivery period the above changes should arise.

Time of delivery:

In case the delivery will be hindered or considerably impeded as a consequence of war, war-like situations, disturbances, directions or actions from authorities or governments incl. import or export restrictions or strikes, lockouts, breakdown of machinery, accidents during tests or transport, extensive damages by fire, missing supplies of raw materials or other circumstances beyond our control, the time of delivery will be postponed as long as the duration of said troubles. On that occasion the buyer is not allowed to cancel the deal. We do not undertake claims for damages for a possible delay of the delivery, arising as a result of the above circumstances. In case the duration of the troubles as stated will continue 3 (three) months, counted from the date of delivery stipulated, the buyer should be entitled to cancel the deal. At current deliveries the similar provisions should apply for individual deliveries.

Deficiencies:

In case possible deficiencies of the supplies are ascertained, the seller reserves the right without any hesitation at his own to remedy the deficiency or redelivery free of charge.

The provisions will not apply:

- in case of transport damages
- in case of interventions and/or modifications carried out by a third party.
- in case of fair wear and tear, faulty or negligent handling, overload, incorrect operating plants, or non-observance of the seller's installation/operation instructions.

The buyer is not entitled to cancel the deal, require a return, require a proportional reduction of the purchase price or compensation. However, provided the deficiencies have not been remedied, possibly by a return/re-delivery – not later than 3 (three) months after the buyer's complaint, it will apply that both the buyer and the seller are entitled through a written information to the other party to cancel the agreement concluded in such a way that the seller takes back the equipment sold against refund of the purchase amount paid. the buyer is not entitled to further claims beyond the above.

Complaints:

Complaints to be sent in writing within 8 days after the buyer's receipt of the delivery concerned. Otherwise, the buyer loses his right to invoke the conditions subject of the complaint.

Reservation of Right of Ownership:

The proprietary right of the goods sold will remain at the seller until all payments incl. interest on overdue payments have been received according to the present agreement. In case several goods have been sold under the same agreement, the reservation of right of the ownership will be valid until the purchase amount for all goods have been paid.

Product Liability

According to Danish legislation.

Venue:

All sales are subject to Danish Laws. All disagreement if any to be settled at the court in Roskilde, unless otherwise agreed.



Sydvestens Kranservice ApS

Håndværkerbyen 17 • DK-2670 Greve
Tlf: 4390 2476 • Mail: info@sydkran.dk